

# ThreatQuotient



## National Vulnerability Database (NVD) CVE Action Guide

Version 1.0.3

June 13, 2023

ThreatQuotient  
20130 Lakeview Center Plaza Suite 400  
Ashburn, VA 20147

 ThreatQ Supported

Support  
Email: support@threatq.com  
Web: support.threatq.com  
Phone: 703.574.9893

# Contents

Integration Details.....	5
Introduction .....	6
Prerequisites .....	7
Installation.....	8
Configuration .....	9
Action Functions .....	11
NVD CVE .....	12
Enriched Data.....	18
Known Issues / Limitations .....	19
Change Log.....	20

---

# Warning and Disclaimer

ThreatQuotient, Inc. provides this document “as is”, without representation or warranty of any kind, express or implied, including without limitation any warranty concerning the accuracy, adequacy, or completeness of such information contained herein. ThreatQuotient, Inc. does not assume responsibility for the use or inability to use the software product as a result of providing this information.

Copyright © 2023 ThreatQuotient, Inc.

All rights reserved. This document and the software product it describes are licensed for use under a software license agreement. Reproduction or printing of this document is permitted in accordance with the license agreement.

# Support

This integration is designated as **ThreatQ Supported**.

**Support Email:** support@threatq.com

**Support Web:** <https://support.threatq.com>

**Support Phone:** 703.574.9893

Integrations/apps/add-ons designated as **ThreatQ Supported** are fully supported by ThreatQuotient's Customer Support team.

ThreatQuotient strives to ensure all ThreatQ Supported integrations will work with the current version of ThreatQuotient software at the time of initial publishing. This applies for both Hosted instance and Non-Hosted instance customers.



ThreatQuotient does not provide support or maintenance for integrations, apps, or add-ons published by any party other than ThreatQuotient, including third-party developers.

# Integration Details

ThreatQuotient provides the following details for this integration:

**Current Integration Version** 1.0.3

**Compatible with ThreatQ Versions** >= 5.12.1

**ThreatQ TQO License Required** Yes

**Support Tier** ThreatQ Supported

# Introduction

The National Vulnerability Database (NVD) CVE action submits a ThreatQ data collection, consisting of CVEs and Vulnerabilities, to NVD for enrichment. NVD returns detailed information that is then ingested back into ThreatQ.

The integration provides the following action:

- **NVD CVE** - submits CVEs and Vulnerabilities to be enriched.

The action is compatible with the following system objects:

- CVEs (indicators)
- Vulnerabilities

The action returns the following enriched system objects:

- Indicators
  - Indicator attributes
- Vulnerabilities
  - Vulnerability Attributes



This action is intended for use with ThreatQ TDR Orchestrator (TQO). An active TQO license is required for this feature.

---

# Prerequisites

- An active ThreatQ TDR Orchestrator (TQO) license.
- A data collection containing at least of the following object types:
  - CVE (indicator)
  - Vulnerability

# Installation

Perform the following steps to install the integration:



The same steps can be used to upgrade the integration to a new version.

1. Log into <https://marketplace.threatq.com/>.
2. Locate and download the action zip file.
3. Navigate to the integrations management page on your ThreatQ instance.
4. Click on the **Add New Integration** button.
5. Upload the action file using one of the following methods:
  - Drag and drop the file into the dialog box
  - Select **Click to Browse** to locate the integration file on your local machine



ThreatQ will inform you if the action already exists on the platform and will require user confirmation before proceeding. ThreatQ will also inform you if the new version of the action contains changes to the user configuration. The new user configurations will overwrite the existing ones for the action and will require user confirmation before proceeding.

You will still need to [configure](#) the action.

# Configuration



ThreatQuotient does not issue API keys for third-party vendors. Contact the specific vendor to obtain API keys and other integration-related credentials.

To configure the integration:

1. Navigate to your integrations management page in ThreatQ.
2. Select the **Actions** option from the *Category* dropdown (optional).
3. Click on the action entry to open its details page.
4. Enter the following parameters under the **Configuration** tab:




The configurations set on this page will be used as the default settings when inserting this action into a new workflow. Updating the configurations on this page will not update any instances of this action that have already been deployed to a workflow. In that scenario, you must update the action's configurations within the workflow itself.

PARAMETER	DESCRIPTION
<b>API Key</b>	Optional - Enter your NVD API Key. Using an API Key will increase your rate limit.
<b>Input Object Type</b>	Select the type of objects to be enriched. Options include: <ul style="list-style-type: none"><li>◦ Indicator</li><li>◦ Vulnerability</li></ul>
<b>Save CVE Data As</b>	Select how the enriched objects should be saved. Options include: <ul style="list-style-type: none"><li>◦ Indicator</li><li>◦ Vulnerability</li></ul>

PARAMETER	DESCRIPTION
<b>For Each Vulnerability Found Return the Following</b>	Select the data that will be returned with each vulnerability. Options include: <ul style="list-style-type: none"> <li>◦ CVSS V3 Score (default)</li> <li>◦ CWE</li> <li>◦ Description (default)</li> <li>◦ Reference Information</li> <li>◦ Severity (default)</li> </ul>
<b>Verify SSL</b>	If enabled, the action will verify SSL connections with the provider.
<b>Objects per Run</b>	The max number of objects to submit per action.

[◀ NVD CVE](#)



NVD

Uninstall

**Additional Information**

Integration Type: Action  
Version:  
Action ID: 7  
Accepted Data Types:  
   Indicators  
    CVE  
   Vulnerability

**Configuration**

API Key (Optional)  [\(i\)](#)

The API Key will insure a higher rate limit.

Input Object Type  [\(i\)](#)

The ThreatQ type of the objects to be enriched.

Save CVE Data As  [\(i\)](#)

How the enriched object should be saved.

For Each Vulnerability Found Return The Following

CVSS v3 Score  
 CWE  
 Description  
 Reference Information  
 Severity

Verify SSL

Objects Per Run

The max number of objects to send to this action, per run.

5. Review any additional settings, make any changes if needed, and click on **Save**.

# Action Functions

The following action is available with the integration:

ACTION	DESCRIPTION	OBJECT TYPE	OBJECT SUBTYPE
NVD	Submits CVEs and Vulnerabilities to be enriched.	Indicators, Vulnerabilities	CVE
CVE			

# NVD CVE

The NVD CVE action enriches the selected collection of CVE indicators and Vulnerabilities.



The objects sent to NVD and how the enriched data is saved can be configured in the action's [configuration settings](#).

```
GET https://services.nvd.nist.gov/rest/json/cves/2.0?cveId={cve}
```

## Sample Response:

```
{  
    "resultsPerPage": 1,  
    "startIndex": 0,  
    "totalResults": 1,  
    "format": "NVD_CVE",  
    "version": "2.0",  
    "timestamp": "2023-04-27T13:17:35.310",  
    "vulnerabilities": [  
        {  
            "cve": {  
                "id": "CVE-2002-1949",  
                "sourceIdentifier": "cve@mitre.org",  
                "published": "2002-12-31T05:00:00.000",  
                "lastModified": "2008-09-05T20:31:55.997",  
                "vulnStatus": "Analyzed",  
                "descriptions": [  
                    {  
                        "lang": "en",  
                        "value": "The Network Attached Storage (NAS) Administration Web Page for Iomega NAS A300U  
transmits passwords in cleartext, which allows remote attackers to sniff the administrative password."  
                    }  
                ],  
                "metrics": {  
                    "cvssMetricV2": [  
                        {  
                            "source": "nvd@nist.gov",  
                            "type": "Primary",  
                            "cvssData": {  
                                "version": "2.0",  
                                "vectorString": "AV:N/AC:L/Au:N/C:P/I:N/A:N",  
                                "accessVector": "NETWORK",  
                                "accessComplexity": "LOW",  
                                "authentication": "NONE",  
                                "confidentialityImpact": "PARTIAL",  
                                "integrityImpact": "NONE",  
                                "availabilityImpact": "NONE",  
                                "baseScore": 5.0  
                            },  
                            "baseSeverity": "MEDIUM",  
                            "exploitabilityScore": 10.0,  
                            "impactScore": 2.9,  
                            "acInsufInfo": false,  
                            "obtainAllPrivilege": false,  
                            "userInteraction": "None",  
                            "scope": "Unchanged",  
                            "attackVector": "Network",  
                            "attackComplexity": "Low",  
                            "authentication": "None",  
                            "confidentialityImpact": "Partial",  
                            "integrityImpact": "None",  
                            "availabilityImpact": "None",  
                            "baseScore": 5.0  
                        }  
                    ]  
                }  
            }  
        ]  
    ]  
}
```

```
        "obtainUserPrivilege": false,
        "obtainOtherPrivilege": false,
        "userInteractionRequired": false
    }
]
},
"weaknesses": [
{
    "source": "nvd@nist.gov",
    "type": "Primary",
    "description": [
        {
            "lang": "en",
            "value": "NVD-CWE-Other"
        }
    ]
},
"configurations": [
{
    "nodes": [
        {
            "operator": "OR",
            "negate": false,
            "cpeMatch": [
                {
                    "vulnerable": true,
                    "criteria": "cpe:2.3:h:iomega:nas:a300u:*:*:*:*:*",
                    "matchCriteriaId": "DA964A81-948D-4E38-8991-B72B9302A6D5"
                }
            ]
        }
    ]
},
"references": [
{
    "url": "http://www.securityfocus.com/bid/6092",
    "source": "cve@mitre.org"
}
]
}
]
```

ThreatQuotient provides the following default mapping for this action:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.vulnerabilities[].cve.id	Indicator.Value / Vulnerability.Value	CVE / N/A	.vulnerabilities[].cve.published	CVE-2018-6363	N/A
.vulnerabilities[].cve.descriptions[].value	Indicator.Description / Vulnerability.Description	N/A	.vulnerabilities[].cve.published	SQL Injection exists in Task Rabbit Clone 1.0 via the single_blog.php id parameter.	If Description option is selected

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.vulnerabilities[].cve.lastModified	Indicator.Attribute / Vulnerability.Attribute	Last Modified	.vulnerabilities[].cve.published	2023-03-24T20:34:11.990	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.id	Indicator.Attribute / Vulnerability.Attribute	Year	.vulnerabilities[].cve.published	2018	Extracted from .vulnerabilities[].cve.id
.vulnerabilities[].cve.references[].url	Indicator.Attribute / Vulnerability.Attribute	Reference URL	.vulnerabilities[].cve.published	https://packetstormsecurity.com/files/146131/Task-Rabbit-Clone-1.0-SQL-Injection.html	If Reference Information option is selected
.vulnerabilities[].cve.references[].tags[]	Indicator.Attribute / Vulnerability.Attribute	CVE Reference Tag	.vulnerabilities[].cve.published	["Exploit", "Third Party Advisory", "VDB Entry"]	N/A
.vulnerabilities[].cve.references[].source	Indicator.Attribute / Vulnerability.Attribute	CVE Reference Source	.vulnerabilities[].cve.published	MISC	N/A
.vulnerabilities[].cve.configurations[].nodes[].cpeMatch[].criteria	Indicator.Attribute / Vulnerability.Attribute	CPE	.vulnerabilities[].cve.published	cpe:2.3:a:taskrabbit_clone_project:taskrabbit_clone:1.0::::*	N/A
.vulnerabilities[].cve.configurations[].nodes[].cpeMatch[].criteria	Indicator.Attribute / Vulnerability.Attribute	Affected Vendor	.vulnerabilities[].cve.published	taskrabbit_clone_project	Parsed in order to extract the needed information
.vulnerabilities[].cve.configurations[].nodes[].cpeMatch[].criteria	Indicator.Attribute / Vulnerability.Attribute	Affected Product	.vulnerabilities[].cve.published	taskrabbit_clone v1.0	Parsed in order to extract the needed information
.vulnerabilities[].cve.weaknesses[].description[].value	Indicator.Attribute / Vulnerability.Attribute	CWE	.vulnerabilities[].cve.published	CWE-89	If CWE option is selected
.vulnerabilities[].cve.metrics.cvssMetricV31[].impactScore	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Impact Score	.vulnerabilities[].cve.published	5.9	If CVSS v3 Score option is selected. If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV31[].exploitabilityScore	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Exploitability Score	.vulnerabilities[].cve.published	2.8	If CVSS v3 Score option is selected. If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV31[].cvssData.attackVector	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Attack Vector	.vulnerabilities[].cve.published	ADJACENT_NETWORK	If the attribute already exists, the value will be updated.

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.vulnerabilities[].cve.metrics.cvssMetricV31[].cvssData.attackComplexity	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Attack Complexity	.vulnerabilities[].cve.published	LOW	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV31[].cvssData.availabilityImpact	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Availability Impact	.vulnerabilities[].cve.published	HIGH	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV31[].cvssData.baseScore	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Base Score	.vulnerabilities[].cve.published	6.5	If cvss v3 Score option is selected. If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV31[].cvssData.baseSeverity	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Base Severity	.vulnerabilities[].cve.published	MEDIUM	If Severity option is selected. If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV31[].cvssData.confidentialityImpact	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Confidentiality Impact	.vulnerabilities[].cve.published	PARTIAL	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV31[].cvssData.integrityImpact	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Integrity Impact	.vulnerabilities[].cve.published	HIGH	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV31[].cvssData.privilegesRequired	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Privileges Required	.vulnerabilities[].cve.published	NONE	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV31[].cvssData.scope	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Scope	.vulnerabilities[].cve.published	UNCHANGED	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV31[].cvssData.userInteraction	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 User Interaction	.vulnerabilities[].cve.published	REQUIRED	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV31[].cvssData.vectorString	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Vector String	.vulnerabilities[].cve.published	CVSS:3.0/AV:A/AC:L/PR:N/C:N/I:H/A:H	If the attribute already exists, the value will be updated.

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.vulnerabilities[].cve.metrics.cvssMetricV31[].cvssData.version	Indicator.Attribute / Vulnerability.Attribute	CVSSv31 Version	.vulnerabilities[].cve.published	3.1	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].impactScore	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Impact Score	.vulnerabilities[].cve.published	5.9	If cvss v3 Score option is selected. If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].exploitabilityScore	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Exploitability Score	.vulnerabilities[].cve.published	2.8	If cvss v3 Score option is selected. If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].cvssData.attackVector	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Attack Vector	.vulnerabilities[].cve.published	ADJACENT_NETWORK	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].cvssData.attackComplexity	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Attack Complexity	.vulnerabilities[].cve.published	LOW	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].cvssData.availabilityImpact	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Availability Impact	.vulnerabilities[].cve.published	HIGH	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].cvssData.baseScore	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Base Score	.vulnerabilities[].cve.published	6.5	If cvss v3 Score option is selected. If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].cvssData.baseSeverity	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Base Severity	.vulnerabilities[].cve.published	MEDIUM	If Severity option is selected. If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].cvssData.confidentialityImpact	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Confidentiality Impact	.vulnerabilities[].cve.published	PARTIAL	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].cvssData.integrityImpact	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Integrity Impact	.vulnerabilities[].cve.published	HIGH	If the attribute already exists,

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.vulnerabilities[].cve.metrics.cvssMetricV30[].cvssData.privilegesRequired	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Privileges Required	.vulnerabilities[].cve.published	NONE	the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].cvssData.scope	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Scope	.vulnerabilities[].cve.published	UNCHANGED	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].cvssData.userInteraction	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 User Interaction	.vulnerabilities[].cve.published	REQUIRED	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].cvssData.vectorString	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Vector String	.vulnerabilities[].cve.published	CVSS:3.0/AV:A/AC:L/PR:N/C:N/I:H/A:H	If the attribute already exists, the value will be updated.
.vulnerabilities[].cve.metrics.cvssMetricV30[].cvssData.version	Indicator.Attribute / Vulnerability.Attribute	CVSSv30 Version	.vulnerabilities[].cve.published	3.0	If the attribute already exists, the value will be updated.

# Enriched Data



Object counts and action runtime are supplied as generalities only - objects returned by a provider can differ based on credential configurations and action runtime may vary based on system resources and load.

METRIC	RESULT
Run Time	1 minute
Indicators	1
Indicator Attributes	22

---

# Known Issues / Limitations

- A 7-second delay has been applied to the action to avoid the NIST rate limit. This will prevent the NIST firewall rules rejecting requests. You can use the optional API Key configuration option to increase the rate limit.

---

# Change Log

- **Version 1.0.3**
  - The action no longer ingests CVSSv2 attributes.
  - The action now updates CVSS attributes instead of creating new ones in the event that the attribute has been updated.
- **Version 1.0.2**
  - Added the option to call the API using an API Key. This will allow you to increase your rate limit.
  - Added a new optional configuration parameter: API Key.
  - Increased the default Number of Objects Per Run to 5000.
- **Version 1.0.1**
  - Added support for Vulnerabilities to be sent for enrichment.
  - Added three new configuration fields: **Input Object Type**, **Save CVE Data As**, and **For Each Vulnerability Found Return the Following**.
- **Version 1.0.0**
  - Initial release