# **ThreatQuotient**



### Deception Logic HoneyDB CDF Guide

Version 1.0.0

July 30, 2021

#### **ThreatQuotient**

11400 Commerce Park Dr., Suite 200 Reston, VA 20191

#### **Support**

Email: support@threatq.com

Web: support.threatq.com

Phone: 703.574.9893



## **Contents**

/ersioning	. 4
ntroductionntroduction	. 5
nstallation	
Configuration	
FhreatQ Mapping	. 8
HoneyDB Bad Hosts	
Change Log	



## Warning and Disclaimer

ThreatQuotient, Inc. provides this document "as is", without representation or warranty of any kind, express or implied, including without limitation any warranty concerning the accuracy, adequacy, or completeness of such information contained herein. ThreatQuotient, Inc. does not assume responsibility for the use or inability to use the software product as a result of providing this information.

Copyright © 2021 ThreatQuotient, Inc.

All rights reserved. This document and the software product it describes are licensed for use under a software license agreement. Reproduction or printing of this document is permitted in accordance with the license agreement.



# Versioning

- Current integration version: 1.0.0
- Supported on ThreatQ versions >= 4.44.0



## Introduction

The Deception Logic HoneyDB CDF ingests data from HoneyDB Bad Hosts; a feed that consumes information published by HoneyDB about bad hosts. A bad host is a host on the Internet that has connected or attempted to connect to one of the honeypots that feed data to HoneyDB.



### Installation

Perform the following steps to install the integration:



The same steps can be used to upgrade the integration to a new version.

- 1. Log into https://marketplace.threatq.com/.
- 2. Locate and download the integration file.
- 3. Navigate to the integrations management page on your ThreatQ instance.
- 4. Click on the **Add New Integration** button.
- 5. Upload the integration file using one of the following methods:
  - Drag and drop the file into the dialog box
  - Select Click to Browse to locate the integration file on your local machine



ThreatQ will inform you if the feed already exists on the platform and will require user confirmation before proceeding. ThreatQ will also inform you if the new version of the feed contains changes to the user configuration. The new user configurations will overwrite the existing ones for the feed and will require user confirmation before proceeding.

6. If prompted, select the individual feeds to install and click **Install**. The feed will be added to the integrations page.

You will still need to configure and then enable the feed.



## Configuration



ThreatQuotient does not issue API keys for third-party vendors. Contact the specific vendor to obtain API keys and other integration-related credentials.

#### To configure the integration:

- 1. Navigate to your integrations management page in ThreatQ.
- 2. Select the **Commercial** option from the *Category* dropdown (optional).



If you are installing the integration for the first time, it will be located under the **Disabled** tab.

- 3. Click on the integration to open its details page.
- 4. Enter the following parameters under the **Configuration** tab:

PARAMETER	DESCRIPTION
API ID	Your HoneyDB API ID.
API Key	Your HoneyDB API Key.

- 5. Review any additional settings, make any changes if needed, and click on Save.
- 6. Click on the toggle switch, located above the Additional Information section, to enable it.



# **ThreatQ Mapping**

### HoneyDB Bad Hosts

Used to ingest IP Address indicators.

GET https://honeydb.io/api/bad-hosts

ThreatQ provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
[].remote_host	Indicator.Value	IP Address	N/A	121.183.78.86	N/A



# **Change Log**

- Version 1.0.0
  - Initial Release