# **ThreatQuotient**




## **Fidelis Elevate Operation**

Version 1.2.4

September 23, 2024

### **ThreatQuotient**

20130 Lakeview Center Plaza Suite 400 Ashburn, VA 20147



## **Support**

Email: support@threatq.com

Web: support.threatq.com

Phone: 703.574.9893



## **Contents**

Warning and Disclaimer	3
Support	4
Integration Details	
Introduction	
Prerequisites	
Installation	
Configuration	g
Actions	10
Submit PCAP	11
Submit File	11
Submit Url	
Close Alert	12
Sync Score	12
Add Labels	12
Get Reports	13
Change Log	14



# Warning and Disclaimer

ThreatQuotient, Inc. provides this document "as is", without representation or warranty of any kind, express or implied, including without limitation any warranty concerning the accuracy, adequacy, or completeness of such information contained herein. ThreatQuotient, Inc. does not assume responsibility for the use or inability to use the software product as a result of providing this information.

Copyright © 2024 ThreatQuotient, Inc.

All rights reserved. This document and the software product it describes are licensed for use under a software license agreement. Reproduction or printing of this document is permitted in accordance with the license agreement.



# Support

This integration is designated as **ThreatQ Supported**.

Support Email: support@threatg.com Support Web: https://support.threatq.com

**Support Phone**: 703.574.9893

Integrations/apps/add-ons designated as ThreatQ Supported are fully supported by ThreatQuotient's Customer Support team.

ThreatQuotient strives to ensure all ThreatQ Supported integrations will work with the current version of ThreatQuotient software at the time of initial publishing. This applies for both Hosted instance and Non-Hosted instance customers.



ThreatQuotient does not provide support or maintenance for integrations, apps, or add-ons published by any party other than ThreatQuotient, including third-party developers.



# **Integration Details**

ThreatQuotient provides the following details for this integration:

<b>Current Integration Version</b>	1.2.4
------------------------------------	-------

Compatible with ThreatQ	>= 4.47.0
Compatible with ThreatQ	>= 4.47.U

Versions

Fidelis Elevate Version 9.3.7

Support Tier ThreatQ Supported



## Introduction

The Fidelis Elevate operation manages Alerts on Fidelis and submits files and URLs for analysis. The operation can also fetch PDF and text reports for Fidelis alerts and attach them to the corresponding event in ThreatQ. The operation is designed to work in conjunction with the Fidelis Alerts CDF.

The operation provides the following actions:

- **Submit PCAP** submits a PCAP file to Fidelis and queues it for playback.
- Submit File submits a file to Fidelis and queues it for analysis.
- Submit URL submits a url to Fidelis and queues it for analysis.
- Close Alert closes an alert on Fidelis and adds the user who closed it as an attribute.
- Sync Score sends the explicit threat score attribute value to an alert on Fidelis.
- Add Labels adds the tags from a ThreatQ event to the alert on Fidelis.
- Get Reports adds PDF and text reports for the Fidelis alert in a zip attachment in ThreatQ.

The operation is compatible with Files and URL type Indicators.



# **Prerequisites**

The Fidelis Elevate operation requires the paramiko and scp modules to be installed in the Python environment.



## Installation

Perform the following steps to install the integration:



The same steps can be used to upgrade the integration to a new version.

- 1. Log into https://marketplace.threatq.com/.
- 2. Locate and download the integration file.
- 3. Navigate to the integrations management page on your ThreatQ instance.
- 4. Click on the Add New Integration button.
- 5. Upload the integration file using one of the following methods:
  - Drag and drop the file into the dialog box
  - Select Click to Browse to locate the integration file on your local machine



ThreatQ will inform you if the operation already exists on the platform and will require user confirmation before proceeding. ThreatQ will also inform you if the new version of the operation contains changes to the user configuration. The new user configurations will overwrite the existing ones for the operation and will require user confirmation before proceeding.

The operation is now installed and will be displayed in the ThreatQ UI. You will still need to configure and then enable the operation.



# Configuration



ThreatQuotient does not issue API keys for third-party vendors. Contact the specific vendor to obtain API keys and other integration-related credentials.

**DESCRIPTION** 

#### To configure the integration:

**PARAMETER** 

- 1. Navigate to your integrations management page in ThreatQ.
- 2. Select the **Operation** option from the *Type* dropdown (optional).
- 3. Click on the integration entry to open its details page.
- 4. Enter the following parameters under the **Configuration** tab:

## Host The address of the Fidelis server. **Account Username** The username for the Fidelis account. **Account Password** The password for the Fidelis account. SSH Username The username for SSH access on the Fidelis server. SSH Password The password for SSH access on the Fidelis server. **Port** The port number to use for SSH access. Sample Upload The directory to upload files and urls to on Fidelis. Directory CGI Path The .cgi file to invoke on Fidelis. If this is left blank it will default to the malware\_check cgi. A boolean that turns SSL verification on/off. Verify SSL

- 5. Review any additional settings, make any changes if needed, and click on **Save**.
- 6. Click on the toggle switch, located above the Additional Information section, to enable it.



# **Actions**

The operation provides the following actions:

ACTION	DESCRIPTION	OBJECT TYPE
Submit PCAP	Submits a PCAP file to Fidelis and queues it for playback.	tq_object dict: The ThreatQ object dictionary
Submit File	Submits a file to Fidelis and queues it for analysis.	tq_object dict: The ThreatQ object dictionary
Submit Url	Submits a url to Fidelis and queues it for analysis.	tq_object dict: The ThreatQ object dictionary
Close Alert	Close and alert on Fidelis and add the user who closed it as an attribute.	event dict: The ThreatQ object dictionary
Sync Score	Send the explicit threat score attribute value to an alert on Fidelis.	event dict: The event from the ThreatQ context, Explicit_Threat_Score int: The user selected explicit threat score
Add Labels	Add the tags from a ThreatQ event to the alert on Fidelis.	event dict: The ThreatQ object dictionary
Get Reports	Add PDF and text reports for the Fidelis alert in a zip attachment in ThreatQ.	event dict: The ThreatQ object dictionary



#### **Submit PCAP**

Submits a PCAP file to a Fidelis component. You can specify if you want Fidelis to playback the PCAP file upon upload. The provider will return a JSON response to verify if the request was successful.

One of the Fidelis sensors must be in PCAP mode in order to use the Submit PCAP action.

GET https://www.<Fidelis\_Host>.com/j/rest/policy/pcap/components/ POST https://
www.<Fidelis\_Host>.com/j/rest/policy/pcap/upload/

THREATQ OBJECT TYPE DESCRIPTION OF ACTION

**Attachment: FILE** Sends a PCAP file to Fidelis for playback.

### Submit File

Submits a file to Fidelis and queues it for analysis. The provider returns a JSON response verifying if the request was successful or not.

THREATQ OBJECT TYPE DESCRIPTION OF ACTION

**Attachment: FILE** Sends a file to Fidelis for sandbox analysis.

## Submit Url

Submits an url to Fidelis and queues it for analysis. The provider returns a JSON response verifying if the request was successful or not.

THREATQ OBJECT TYPE DESCRIPTION OF ACTION

Indicator: URL Sends an URL to Fidelis for sandbox analysis.



### Close Alert

Closes an alert's associated conclusion on Fidelis. The attributes 'CLOSED' and 'CLOSED\_BY' are added to the event in ThreatQ, where 'CLOSED\_BY' has the value of the Fidelis user who was assigned to the alert. The provider returns a JSON response verifying if the request was successful or not.

POST https://www.<Fidelis\_Host>.com/j/rest/v2/alert/mgmt/

#### THREATQ OBJECT TYPE

#### **DESCRIPTION OF ACTION**

**Event** 

Closes an alert on Fidelis using a Conclusion id attribute from the event.

## Sync Score

Changes the Explicit Threat Score for an alert on Fidelis with the user-selected value from ThreatQ. The user-selectable fields are:

- 1: False Positive
- 2: Not interesting
- 3: Interesting
- 4: Actionable

PUT https://<Fidelis\_Host>/j/rest/v1/alert/feedback/

#### THREATQ OBJECT TYPE

#### **DESCRIPTION OF ACTION**

**Event** 

Uploads the user-selected Explicit Threat Score to Fidelis.

#### **Add Labels**

Adds the tags from the ThreatQ event as labels to the alert on Fidelis. The provider returns a JSON response verifying if the request was successful or not.

PUT https://<Fidelis Host>/j/rest/v1/alert/mgmt/

#### THREATQ OBJECT TYPE

#### **DESCRIPTION OF ACTION**

**Event** 

Pulls the tags from the event and uploads them as labels to Fidelis.



## **Get Reports**

Pulls PDF and text reports for a Fidelis alert and uploads it to the corresponding ThreatQ event as a zip attachment.

```
GET https://<Fidelis Host>/j/rest/v2/event/asset/<Alert Id>/
GET https://<Fidelis Host>/j/rest/v2/event/efsubmit/<Alert Id>/
GET https://<Fidelis Host>/j/rest/v2/event/entire_forensic/<Alert Id>/
GET https://<Fidelis Host>/j/rest/v2/event/efsubmit/<Alert Id>
GET https://<Fidelis Host>/j/rest/v2/event/sessiondata/1/<Alert Id>/
GET https://<Fidelis Host>/j/rest/v2/event/related/<Alert Id>/
GET https://<Fidelis Host>/j/rest/v2/event/dpath/<Alert Id>/
POST https://<Fidelis Host>/j/rest/v2/docgen/<Alert Id>/
GET https://<Fidelis Host>/j/rest/v2/docgen/<Alert Id>/
```

# THREATQ OBJECT TYPE

#### **DESCRIPTION OF ACTION**

**Event** 

Pulls PDF and text reports for the Fidelis alert, compresses them into a zip archive, and attaches the zip to the event in ThreatQ.



# **Change Log**

- Version 1.2.4
  - Resolved an Close Alert issue for Fidelis 9.6.x.
- Version 1.2.3
  - Removed the request payload for close\_case to resolve authentication issues.
- Version 1.2.2
  - Updated integration authentication for Fidelis 9.6.x
- Version 1.2.1
  - Added support for multiple command posts for the **Get Reports** action.
- Version 1.2.0
  - Added support for multiple command posts except for the **Get Reports** action.
- Version 1.1.2
  - Updated endpoints for the **Get Reports**, **Add Labels**, and **Sync Score** actions.
- Version 1.1.1
  - Fixed a bug with PCAP playback.
  - Added new checkbox option to the Submit PCAP action that allows PCAP playback on Fidelis upon upload.
- Version 1.1.0
  - Added Get Reports action.
- Version 1.0.0
  - Initial release