ThreatQuotient



Kaspersky C&C Tracking CDF Guide

Version 1.0.0

November 02, 2021

ThreatQuotient

11400 Commerce Park Dr., Suite 200 Reston, VA 20191

2 Not Supported



Contents

Support	
Support	5
ntroduction	6
nstallation	7
Configuration	8
Configuration	<u>c</u>
Feed URL	g
Average Feed Run	
Known Issues / Limitations	12
Change Log	



Warning and Disclaimer

ThreatQuotient, Inc. provides this document "as is", without representation or warranty of any kind, express or implied, including without limitation any warranty concerning the accuracy, adequacy, or completeness of such information contained herein. ThreatQuotient, Inc. does not assume responsibility for the use or inability to use the software product as a result of providing this information.

Copyright © 2021 ThreatQuotient, Inc.

All rights reserved. This document and the software product it describes are licensed for use under a software license agreement. Reproduction or printing of this document is permitted in accordance with the license agreement.



Support

This integration is designated as **Not Supported**.

Integrations, apps, and add-ons designated as **Not Supported** are not supported by ThreatQuotient's Customer Support team.

While you can report issues to ThreatQ's Customer Support team regarding the integration/app/add-on, you are solely responsible for ensuring proper functionality and version compatibility of Not Supported designations with the applicable ThreatQuotient software.

If unresolvable functional or compatibility issues are encountered, you may be required to uninstall the integration/app/add-on from your ThreatQuotient environment in order for ThreatQuotient to fulfill support obligations.



For ThreatQuotient Hosted instance customers, the Service Level Commitment and Service Level Credit in the ThreatQuotient Service Level Schedule will not apply to issues caused by Not Supported integrations/apps/add-ons.



Versioning

- Current integration version: 1.0.0
- Compatible with ThreatQ versions >= 4.37.0



Introduction

The Kaspersky C&C Tracking ingests IP Addresses and related ASN data from Kaspersky C&C Tracking API.



Installation

Perform the following steps to install the integration:



The same steps can be used to upgrade the integration to a new version.

- Log into https://marketplace.threatq.com/.
- 2. Locate and download the integration file.
- 3. Navigate to the integrations management page on your ThreatQ instance.
- 4. Click on the **Add New Integration** button.
- 5. Upload the integration file using one of the following methods:
 - Drag and drop the file into the dialog box
 - Select Click to Browse to locate the integration file on your local machine



ThreatQ will inform you if the feed already exists on the platform and will require user confirmation before proceeding. ThreatQ will also inform you if the new version of the feed contains changes to the user configuration. The new user configurations will overwrite the existing ones for the feed and will require user confirmation before proceeding.

6. If prompted, select the individual feeds to install and click **Install**. The feed will be added to the integrations page.

You will still need to configure and then enable the feed.



Configuration



ThreatQuotient does not issue API keys for third-party vendors. Contact the specific vendor to obtain API keys and other integration-related credentials.

To configure the integration:

- 1. Navigate to your integrations management page in ThreatQ.
- 2. Select the **Commercial** option from the *Category* dropdown (optional).
- 3. Click on the integration to open its details page.
- 4. Enter the following parameters under the **Configuration** tab:

PARAMETER	DESCRIPTION
Username	Your Kaspersky account username.
Password	The password associated with the username above.
Kaspersky PEM File	Your Kaspersky PEM file.

- 5. Review the **Settings** configuration, make any changes if needed, and click on **Save**.
- 6. Click on the toggle switch, located above the Additional Information section, to enable it.



ThreatQ Mapping

Feed URL

GET https://tip.kaspersky.com/api/apt_cnc/all

Response Sample:

```
"ip": "54.215.129.6",
    "first_seen": "2021-04-18" ,
    "last_seen": "2021-04-18" ,
    "country_code": "us" ,
    "tags": [
     {
       "name": "CobaltStrike",
       "source": null ,
        "type": "Organic"
        "description": "Cobalt Strike is a commercially available attack platform developed by Raphael Mudge and
used by multiple threat actors."
     }
   ],
    "asn": 16509 ,
    "asn_name": "AMAZON-02",
    "ip_whois": {
      "net_range": "54.215.0.0 - 54.215.255.255",
      "net_name": "AMAZO-ZSF02",
      "descr": null ,
      "created": "2013-03-19",
      "updated": "2013-03-19",
      "country": null ,
      "city": null ,
      "contact_owner_name": "Amazon.com, Inc." ,
      "contact_owner_code": "AMAZO-48" ,
      "contact_owner_country": "US" ,
      "contact_owner_city": "Seattle",
      "contact_owner_email": "amzn-noc-contact@amazon.com" ,
      "contact_abuse_name": "Amazon EC2 Abuse",
      "contact_abuse_country": null ,
      "contact_abuse_city": null ,
      "contact_abuse_email": "abuse@amazonaws.com" ,
      "net_asn": "16509"
   }
 } ,
   "ip": "72.45.135.213" ,
    "first_seen": "2021-04-18" ,
    "last_seen": "2021-04-18" ,
    "country_code": "us" ,
    "tags": [
      {
        "name": "CobaltStrike",
```



```
"source": null ,
        "type": "Organic",
       "description": "Cobalt Strike is a commercially available attack platform developed by Raphael Mudge and
used by multiple threat actors."
   ],
    "asn": 11351 ,
    "asn_name": "TWC-11351-NORTHEAST" ,
    "ip_whois": {
      "net_range": "72.45.128.0 - 72.45.255.255" ,
      "net_name": "RCACI" ,
      "descr": null ,
      "created": "2006-08-10",
      "updated": "2007-07-18",
      "country": null,
      "city": null ,
      "contact_owner_name": "Time Warner Cable Internet LLC" ,
      "contact_owner_code": "RCNY" ,
      "contact_owner_country": "US" ,
      "contact_owner_city": "Herndon" ,
      "contact_owner_email": "abuse@rr.com" ,
      "contact_abuse_name": "Abuse" ,
      "contact_abuse_country": null ,
      "contact_abuse_city": null ,
      "contact_abuse_email": "abuse@rr.com" ,
      "net_asn": null
   }
 }
```

ThreatQ provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
[].ip	Indicator.Value	IP Address	.first_seen	140.82.41.202	Indicator will be created with 'Indirect' status
[].country_code	Indicator.Attribute	Country code	.first_seen	us	
[].tags[].name	Indicator.Attribute	Tag Name	.first_seen	Empire C2	
[].asn	Related Indicator.Value	ASN	.first_seen	20473	
[].asn_name	Indicator.Attribute	ASN Name	.first_seen	AS-CHOOPA	



Average Feed Run

METRIC	RESULT
Run Time	2 min
Indicators	1,821
Indicator Attributes	3,122



Object counts and Feed runtime are supplied as generalities only - objects returned by a provider can differ based on credential configurations and Feed runtime may vary based on system resources and load.



Known Issues / Limitations

• The process of relating IP Address Indicators and their corresponding ASN Indicator is not currently supported.



Change Log

- Version 1.0.0
 - Initial Release