

ThreatQuotient



RSS Feed Reader CDF User Guide

Version 1.0.7

March 05, 2024

ThreatQuotient

20130 Lakeview Center Plaza Suite 400
Ashburn, VA 20147

 **ThreatQ Supported**

Support

Email: support@threatq.com

Web: support.threatq.com

Phone: 703.574.9893

Contents

Warning and Disclaimer 3

Support 4

Integration Details..... 5

Introduction 6

Installation..... 7

Configuration 8

ThreatQ Mapping..... 11

 RSS Feed Reader 11

Average Feed Run..... 15

Known Issues / Limitations 16

Change Log 17

Warning and Disclaimer

ThreatQuotient, Inc. provides this document “as is”, without representation or warranty of any kind, express or implied, including without limitation any warranty concerning the accuracy, adequacy, or completeness of such information contained herein. ThreatQuotient, Inc. does not assume responsibility for the use or inability to use the software product as a result of providing this information.

Copyright © 2024 ThreatQuotient, Inc.

All rights reserved. This document and the software product it describes are licensed for use under a software license agreement. Reproduction or printing of this document is permitted in accordance with the license agreement.

Support

This integration is designated as **ThreatQ Supported**.

Support Email: support@threatq.com

Support Web: <https://support.threatq.com>

Support Phone: 703.574.9893

Integrations/apps/add-ons designated as **ThreatQ Supported** are fully supported by ThreatQuotient's Customer Support team.

ThreatQuotient strives to ensure all ThreatQ Supported integrations will work with the current version of ThreatQuotient software at the time of initial publishing. This applies for both Hosted instance and Non-Hosted instance customers.



ThreatQuotient does not provide support or maintenance for integrations, apps, or add-ons published by any party other than ThreatQuotient, including third-party developers.

Integration Details

ThreatQuotient provides the following details for this integration:

Current Integration Version	1.0.7
Compatible with ThreatQ Versions	>= 5.11.0
Support Tier	ThreatQ Supported

Introduction

The RSS Feed Reader CDF enables analysts to automatically ingest RSS feeds from multiple sources, directly into ThreatQ.

The integration provides the following feed:

- **RSS Feed Reader** - ingests reports as a main object and indicators as related objects.

The integration ingests the following system objects:

- Reports
 - Report Attributes
- Indicators

Installation

Perform the following steps to install the integration:



The same steps can be used to upgrade the integration to a new version.

1. Log into <https://marketplace.threatq.com/>.
2. Locate and download the integration file.
3. Navigate to the integrations management page on your ThreatQ instance.
4. Click on the **Add New Integration** button.
5. Upload the integration file using one of the following methods:
 - Drag and drop the file into the dialog box
 - Select **Click to Browse** to locate the integration file on your local machine



ThreatQ will inform you if the feed already exists on the platform and will require user confirmation before proceeding. ThreatQ will also inform you if the new version of the feed contains changes to the user configuration. The new user configurations will overwrite the existing ones for the feed and will require user confirmation before proceeding.

You will still need to [configure and then enable](#) the feed.

Configuration



ThreatQuotient does not issue API keys for third-party vendors. Contact the specific vendor to obtain API keys and other integration-related credentials.

To configure the integration:

1. Navigate to your integrations management page in ThreatQ.
2. Select the **OSINT** option from the *Category* dropdown (optional).



If you are installing the integration for the first time, it will be located under the **Disabled** tab.

3. Click on the integration entry to open its details page.
4. Enter the following parameters under the **Configuration** tab:

PARAMETER	DESCRIPTION
Preset RSS Feeds	Select one or more RSS feeds to ingest posts from. This parameter can be used in conjunction with the Custom RSS Feeds parameter below. Options include: ◦ 360 Netlab ◦ AhnLab Security Emergency Response Center ◦ Anheng Information ◦ Avast Threat Labs ◦ BankInfo Security ◦ Bitdefender ◦ BleepingComputer ◦ CERT Australia ◦ CERT Polska ◦ CIS Security Advisories ◦ Citizenlab ◦ Check Point Research ◦ Cybereason ◦ DCSO Cytec ◦ ENISA News ◦ ESET WeLiveSecurity ◦ Flashpoint ◦ Fortinet Threat Research ◦ Fox-IT Blog ◦ Latest Hacking News ◦ Malwarebytes ◦ Malware Traffic Analysis ◦ Mandiant Cyber Threat Research ◦ Microsoft Threat Intelligence ◦ NCC Group Research ◦ Netskope Threat Research ◦ Palo Alto Blog ◦ Palo Alto Unit 42 ◦ Positive Technologies ◦ PulseDive ◦ Qualys Security Blog ◦ Rostelekom Solar 4Rays

PARAMETER	DESCRIPTION
	◦ Google Threat Analysis Group ◦ IBM X-Force ◦ Infosecurity Magazine ◦ Intezer ◦ Jamf Threat Labs ◦ Kaspersky Securelist ◦ Krebs on Security ◦ SANS Internet Storm Center ◦ Securlist ◦ Security Affairs ◦ Sekoai.io ◦ SentinelOne Labs ◦ Sophos Threat Research ◦ Symantec Threat Intelligence ◦ Trend Micro Research ◦ Trustwave SpiderLabs ◦ Yoroi Blog ◦ Volexity
Custom RSS Feeds	Enter a line-separated list of RSS feeds (URLs) to ingest posts from. This parameter can be used in conjunction with the Preset RSS Feeds parameter above.
Ingest Categories As	Select one or more entities to ingest the Category field as. Options include: ◦ Attributes ◦ Tags (default)
Parsed IOC Types	Select the IOC types to automatically parse from the content. Options include: ◦ CVE (default) ◦ IP Address ◦ IPv6 Address ◦ CIDR Block ◦ FQDN ◦ URL ◦ MD5 ◦ SHA-1 ◦ SHA-256 ◦ SHA-512 ◦ Email Address ◦ Registry Key
Parsing Options	Select the parsing options to use when parsing IOCs from the content. Options include: ◦ Normalize IOCs

PARAMETER

DESCRIPTION

- Derive FQDNs from URLs

< RSS Feed Reader



Disabled ☒ Enabled

Run Integration

Uninstall

Additional Information

Integration Type: Feed

Version:

Configuration Activity Log

RSS Configuration

Select from the list of preset RSS feeds, or enter your own list of links to RSS feeds.

Preset RSS Feeds

Select one or more RSS feeds to ingest posts from. This is used in conjunction with the custom feeds field below.

- ☒ 360 Netlab
- ☐ AhnLab Security Emergency Response Center
- ☐ Anheng Information
- ☐ Avast Threat Labs
- ☐ BankInfo Security
- ☐ Bitdefender
- ☐ BleepingComputer
- ☐ CERT Australia
- ☐ CERT Polska
- ☐ CIS Security Advisories
- ☐ Citizenlab
- ☐ Check Point Research
- ☐ Cybereason
- ☐ Dark Reading
- ☐ DCSO Cytex
- ☒ ENISA News
- ☐ ESET WeLiveSecurity
- ☐ Flashpoint

5. Review any additional settings, make any changes if needed, and click on **Save**.
6. Click on the toggle switch, located above the *Additional Information* section, to enable it.

ThreatQ Mapping

RSS Feed Reader

The RSS Feed Reader feed periodically pulls entries from one or more RSS feeds. Entries will be parsed and uploaded to ThreatQ as Reports.

Sample Response:

```
<?xml version="1.0" encoding="UTF-8"?>
<rss version="2.0" xmlns:content="http://purl.org/rss/1.0/modules/content/"
xmlns:wfw="http://wellformedweb.org/CommentAPI/" xmlns:dc="http://purl.org/dc/
elements/1.1/" xmlns:atom="http://www.w3.org/2005/Atom" xmlns:sy="http://
purl.org/rss/1.0/modules/syndication/" xmlns:slash="http://purl.org/rss/1.0/
modules/slash/">
  <channel>
    <title>
      Graham Cluley
    </title>
    <link href="https://grahamcluley.com/feed/" rel="self"
type="application/rss+xml" />
    <link>
      https://grahamcluley.com
    </link>
    <description>
      Computer security news, advice, and opinion
    </description>
    <lastBuildDate>
      Wed, 15 Feb 2023 13:51:41 +0000
    </lastBuildDate>
    <language>
      en-GB
    </language>
    <updatePeriod>
      hourly
    </updatePeriod>
    <updateFrequency>
      1
    </updateFrequency>
    <generator>
      https://wordpress.org/?v=6.1.1
    </generator>
    <image>
      <url>
        https://grahamcluley.com/wp-content/uploads/
2022/12/cropped-android-chrome-512x512-2-32x32.png
      </url>
    </image>
    <title>
```

```

        Graham Cluley
    </title>
    <link>
        https://grahamcluley.com
    </link>
    <width>
        32
    </width>
    <height>
        32
    </height>
</image>
<item>
    <title>
        Ransomware attackers steal over 3 million
patients&#8217; medical records
    </title>
    <link>
        https://www.bitdefender.com/blog/
hotforsecurity/ransomware-attackers-steal-over-3-million-patients-medical-
records/
    </link>
    <comments>
        https://www.bitdefender.com/blog/
hotforsecurity/ransomware-attackers-steal-over-3-million-patients-medical-
records/#respond
    </comments>
    <creator>
        <![CDATA[Graham Cluley]]>
    </creator>
    <pubDate>
        Tue, 14 Feb 2023 10:59:57 +0000
    </pubDate>
    <category>
        <![CDATA[Data loss]]>
    </category>
    <category>
        <![CDATA[Guest blog]]>
    </category>
    <category>
        <![CDATA[Ransomware]]>
    </category>
    <category>
        <![CDATA[data breach]]>
    </category>
    <category>
        <![CDATA[medical]]>
    </category>
    <category>
        <![CDATA[ransomware]]>

```

```

</category>
<guid isPermaLink="false">
    https://grahamcluley.com/?p=12336776
</guid>
<description>
    <![CDATA[
        A ransomware attack has again put the personal
information of innocent parties at risk after it was revealed that a data
breach has potentially exposed the medical records of more than three million
people.

        Read more in my article on the Hot for Security
blog.
    ]]>
</description>
<commentRss>
    https://www.bitdefender.com/blog/
hotforsecurity/ransomware-attackers-steal-over-3-million-patients-medical-
records/feed/
</commentRss>
<comments>
    0
</comments>
</item>
</channel>
</rss>

```

ThreatQuotient provides the following default mapping for this feed:



RSS Feeds typically follow a standard format, but the content will be different from feed to feed. Each mapping below is based on the available fields for each item in the feed.

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.title	Report.Value	N/A	.pubDate	Ransomware attackers steal over 3 million patients's medical records	N/A
.link	Report.Attribute	Web Link	N/A	N/A	N/A
.category	Report.Attribute, Report.Tag	Category	N/A	N/A	Field may be a list or single value
.contentType	Report.Attribute	Type	N/A	N/A	Non-standard field
.severity	Report.Attribute	Severity	N/A	Critical	Non-standard field
.dc:type	Report.Attribute	Type	N/A	News	Non-standard field
.pubDate	Report.Attribute	Published At	N/A	Tue, 14 Feb 2023 10:59:57 +0000	N/A

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.author	Report.Attribute	Author	N/A	N/A	N/A
.dc:creator	Report.Attribute, Report.Source	Author	N/A	Graham Cluley	N/A
.country	Report.Attribute	Country Code, Country	N/A	US	Non-standard field
.feed_url	Report.Attribute	RSS Feed	N/A	https://decoded.avast.io/feed/	N/A
.description, .content:encoded	Report.Description	N/A	N/A	N/A	N/A
.description, .content:encoded, .title	Related Indicator.Value	CVE	N/A	N/A	Parsed from content, when enabled

Average Feed Run



Object counts and Feed runtime are supplied as generalities only - objects returned by a provider can differ based on credential configurations and Feed runtime may vary based on system resources and load.

METRIC	RESULT
Run Time	5 minutes
Reports	521
Report Attributes	981
Indicators	437

Known Issues / Limitations

- The CDF utilizes `since` and `until` dates to ensure that entries are not re-ingested if they haven't been updated. Use the **Run Integration** button to ingest historical entries from feeds.
- Version 1.0.2 contained a spelling error for **Volexity**, which was spelled incorrectly as **Veloxity**. Version 1.0.3 corrected the spelling error. If you are upgrading from 1.0.2, run the following command to update the name of the source for data that has already been ingested into the platform:

```
mysql -uthreatquotient -p"${awk -F '=' '/password/ {print $2}' /var/www/api/app/config/database.ini}" threatquotient2 -e "UPDATE other_sources SET name='Volexity Blog' WHERE name='Veloxity Blog'"
```



The Indicator and Report pages will display the new updated name, while the older name will be seen in the Threat Library until the next Solr re-indexing.

Change Log

- **Version 1.0.7**
 - Updated several existing RSS feeds that have been relocated.
 - Removed the following deprecated RSS feeds:
 - Zscaler Blog
 - Dark Reading
 - Added the following RSS feeds:

▪ 360 Netlab ▪ AhnLab Security Emergency Response Center ▪ Anheng Information ▪ DCSO Cytec ▪ ENISA News ▪ Google Threat Analysis Group ▪ Intezer ▪ Jamf Threat Labs ▪ Kaspersky Securelist	▪ Rostelekom Solar 4Rays ▪ Sekoai.io ▪ SentinelOne Labs ▪ Sophos Threat Research ▪ Symantec Threat Intelligence ▪ Trend Micro Research ▪ Trustwave SpiderLabs ▪ Volexity
--	---
- **Version 1.0.6**
 - Updated several existing RSS feeds that have been relocated.
 - Removed following deprecated RSS feeds:

▪ BAE Systems Threat Research Blog ▪ CERT Austria ▪ CERT Romania ▪ Cisco Security Blog ▪ Check Point Threat Center ▪ Contagio ▪ Count Upon Security ▪ Crowdstrike Blog ▪ CSO Online ▪ Google Online Security ▪ GovCERT Switzerland ▪ InfoSec Malware Analysis ▪ Juniper Threat Research	▪ Kryptos Logic Blog ▪ Malware Analysis: The Final Frontier ▪ McAfee Securing Tomorrow ▪ Quick Heal ▪ Recorded Future ▪ Schneier on Security ▪ Scrutiny from an Inquisitive Mind ▪ Secureworks Threat Analysis ▪ Threatpost ▪ TrendMicro ▪ Volexity Blog ▪ We Live Security
---	--
- **Version 1.0.5**
 - Upgraded the integration for compatibility with ThreatQ version 5.22.0 and later.
 - Updated the minimum ThreatQ version to 5.11.0.
- **Version 1.0.4**
 - Added several new RSS feeds that were available via the custom connector version of the integration, to the **Preset RSS Feeds** configuration option. See the [Configuration chapter](#) for a complete list of available feeds.
- **Version 1.0.3**
 - Corrected a spelling error for the Volexity source. See the [Known Issues / Limitations](#) chapter for further details.
- **Version 1.0.2**

- Resolved an issue where some RSS feeds contained encoded content with additional tags, which caused run errors.
- **Version 1.0.1**
 - Resolved an issue regarding parsing dates for several custom RSS feeds.
 - Resolved an issue regarding RSS feeds consisting of a single post.
- **Version 1.0.0**
 - Initial release