

# ThreatQuotient



## Rapid7 insightVM CDF

Version 1.0.3

August 20, 2024

### ThreatQuotient

20130 Lakeview Center Plaza Suite 400  
Ashburn, VA 20147

 ThreatQ Supported

### Support

Email: [support@threatq.com](mailto:support@threatq.com)

Web: [support.threatq.com](https://support.threatq.com)

Phone: 703.574.9893

# Contents

|                                                |           |
|------------------------------------------------|-----------|
| Warning and Disclaimer .....                   | 3         |
| Support .....                                  | 4         |
| Integration Details.....                       | 5         |
| Introduction .....                             | 6         |
| Prerequisites .....                            | 7         |
| Installation.....                              | 8         |
| Configuration .....                            | 9         |
| <b>ThreatQ Mapping.....</b>                    | <b>11</b> |
| Rapid7 insightVM - Sites.....                  | 11        |
| Get Site Assets (Supplemental) .....           | 16        |
| Get Asset Vulnerabilities (Supplemental) ..... | 22        |
| Get Tags (Supplemental).....                   | 33        |
| <b>Average Feed Run.....</b>                   | <b>38</b> |
| Rapid7 insightVM - Sites.....                  | 38        |
| <b>Change Log .....</b>                        | <b>39</b> |

# Warning and Disclaimer

ThreatQuotient, Inc. provides this document “as is”, without representation or warranty of any kind, express or implied, including without limitation any warranty concerning the accuracy, adequacy, or completeness of such information contained herein. ThreatQuotient, Inc. does not assume responsibility for the use or inability to use the software product as a result of providing this information.

Copyright © 2024 ThreatQuotient, Inc.

All rights reserved. This document and the software product it describes are licensed for use under a software license agreement. Reproduction or printing of this document is permitted in accordance with the license agreement.

# Support

This integration is designated as **ThreatQ Supported**.

**Support Email:** [support@threatq.com](mailto:support@threatq.com)

**Support Web:** <https://support.threatq.com>

**Support Phone:** 703.574.9893

Integrations/apps/add-ons designated as **ThreatQ Supported** are fully supported by ThreatQuotient's Customer Support team.

ThreatQuotient strives to ensure all ThreatQ Supported integrations will work with the current version of ThreatQuotient software at the time of initial publishing. This applies for both Hosted instance and Non-Hosted instance customers.



ThreatQuotient does not provide support or maintenance for integrations, apps, or add-ons published by any party other than ThreatQuotient, including third-party developers.

# Integration Details

ThreatQuotient provides the following details for this integration:

**Current Integration Version**      1.0.3

**Compatible with ThreatQ  
Versions**       $\geq 5.10.0$

**Support Tier**      ThreatQ Supported

---

# Introduction

The Rapid7 insightVM integration for ThreatQ provides you with the ability to automatically track sites and assets registered within Rapid7 insightVM to monitor their vulnerabilities and overall risk.

The integration ingests threat intelligence data from the following endpoints:

- **Rapid7 insightVM - Sites** - automatically pulls sites & assets registered with Rapid7 insightVM.
- **Get Site Assets (supplemental)** - fetches the associated assets for a given site.
- **Get Asset Vulnerabilities (supplemental)** - fetches the vulnerabilities for a given asset.
- **Get Tags (supplemental)** - fetches the tags for a given asset or site.

The integration ingests the following system object types:

- Assets
  - Asset Attributes
- Indicators
  - Indicator Attributes
- Reports
  - Report Attributes

# Prerequisites

Review the following prerequisites before attempting to install the integration:

- Rapid7 InsightVM Security Console username and password.

# Installation

Perform the following steps to install the integration:



The same steps can be used to upgrade the integration to a new version.

1. Log into <https://marketplace.threatq.com/>.
2. Locate and download the integration yaml file.
3. Navigate to the integrations management page on your ThreatQ instance.
4. Click on the **Add New Integration** button.
5. Upload the yaml file using one of the following methods:
  - Drag and drop the file into the dialog box
  - Select **Click to Browse** to locate the file on your local machine



ThreatQ will inform you if the feed already exists on the platform and will require user confirmation before proceeding. ThreatQ will also inform you if the new version of the feed contains changes to the user configuration. The new user configurations will overwrite the existing ones for the feed and will require user confirmation before proceeding.

6. The feed will be added to the integrations page. You will still need to [configure and then enable](#) the feed.

# Configuration



ThreatQuotient does not issue API keys for third-party vendors. Contact the specific vendor to obtain API keys and other integration-related credentials.

To configure the integration:

1. Navigate to your integrations management page in ThreatQ.
2. Select the **Commercial** option from the *Category* dropdown (optional).



If you are installing the integration for the first time, it will be located under the **Disabled** tab.

3. Click on the integration entry to open its details page.
4. Enter the following parameters under the **Configuration** tab:

| PARAMETER                                    | DESCRIPTION                                                                                                                                                                                         |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Rapid7 insightVM Host / IP (and port)</b> | Enter your Rapid7 insightVM hostname or IP address.                                                                                                                                                 |
| <b>Rapid7 insightVM Username</b>             | Enter your Rapid7 insightVM username to authenticate with the API.                                                                                                                                  |
| <b>Rapid7 insightVM Password</b>             | Enter your Rapid7 insightVM password to authenticate with the API.                                                                                                                                  |
| <b>Only Ingest Vulnerable Sites / Assets</b> | Enable this option to only ingest sites with vulnerabilities.                                                                                                                                       |
| <b>Importance Filter</b>                     | Filter the sites to ingest by importance level. Options include: <ul style="list-style-type: none"> <li>◦ Very Low</li> <li>◦ Low</li> <li>◦ Normal</li> <li>◦ High</li> <li>◦ Very High</li> </ul> |
| <b>Minimum Risk Score Threshold</b>          | Enter the minimum score required to ingest a site or asset.                                                                                                                                         |

| PARAMETER              | DESCRIPTION                                                                                                                              |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Scan Template Filter   | Enter a comma-separated list of scan template IDs for the feed to specifically ingest. Leave this field blank to ingest any.             |
| Verify SSL Certificate | Enable or disable SSL certificate verification. This option is enabled by default.                                                       |
| Disable Proxies        | Enable this parameter to specify that the feed should not honor proxies set in the ThreatQ platform. This option is disabled by default. |

### < Rapid7 insightVM - Sites



Disabled
☒
Enabled

Run Integration

Uninstall

**Additional Information**  
Integration Type: Feed  
Version:

Configuration
Activity Log

Rapid7 insightVM Host / IP (and port)  
Enter your Rapid7 insightVM hostname or IP address so we can connect to it

Rapid7 insightVM Username  
Enter your Rapid7 insightVM username to authenticate with the API

Rapid7 insightVM Password  
Enter your Rapid7 insightVM password to authenticate with the API

☐ Only Ingest Vulnerable Sites / Assets  
Do you want to track all sites/assets or only ones with vulnerabilities

**Importance Filter**  
Select the importance levels for sites that you want to ingest

☒ Very Low  
☒ Low  
☒ Normal  
☒ High  
☒ Very High

Minimum Risk Score Threshold  
0  
Enter a number value to be the minimum score required to ingest a site or asset

Scan Template Filter  
Enter a comma-separated list of scan template IDs you specifically want to only ingest. Leave blank to ingest any.

☐ Verify SSL Certificate  
Enable or disable SSL certificate verification

☐ Disable Proxies  
If true, specifies that this feed should not honor any proxies setup in ThreatQuotient

- Review any additional settings, make any changes if needed, and click on **Save**.
- Click on the toggle switch, located above the *Additional Information* section, to enable it.

# ThreatQ Mapping

## Rapid7 insightVM - Sites

The Rapid7 insightVM - Sites feed automatically pulls sites & assets registered with Rapid7 insightVM  
GET <https://<host>:<port>/api/3/sites>

### Sample Response:

```
{
  "resources": [
    {
      "assets": 1,
      "id": 2,
      "importance": "high",
      "lastScanTime": "2019-03-22T17:36:39.122Z",
      "links": [
        {
          "href": "https://10.13.0.65:3780/api/3/sites/2",
          "rel": "self"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/2/alerts",
          "rel": "Alerts"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/2/scan_engine",
          "rel": "Scan Engine"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/2/scan_schedules",
          "rel": "Schedules"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/2/organization",
          "rel": "Organization"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/2/tags",
          "rel": "Tags"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/2/users",
          "rel": "Users"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/2/scan_template",
          "rel": "Template"
        }
      ]
    }
  ]
}
```

```

    },
    {
      "href": "https://10.13.0.65:3780/api/3/sites/2/site_credentials",
      "rel": "Site Credentials"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/sites/2/shared_credentials",
      "rel": "Assigned Shared Credentials"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/sites/2/web_authentication/
html_forms",
      "rel": "Web HTML Forms Authentication"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/sites/2/web_authentication/
http_headers",
      "rel": "Web HTTP Headers Authentication"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/sites/2/assets",
      "rel": "Assets"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/sites/2/included_targets",
      "rel": "Included Targets"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/sites/2/excluded_targets",
      "rel": "Excluded Targets"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/sites/2/
included_asset_groups",
      "rel": "Included Asset Groups"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/sites/2/
excluded_asset_groups",
      "rel": "Excluded Asset Groups"
    }
  ],
  "name": "ThreatQ Instance (ESXi)",
  "riskScore": 13107.0,
  "scanEngine": 3,
  "scanTemplate": "full-audit-without-web-spider",
  "type": "static",
  "vulnerabilities": {
    "critical": 0,
    "moderate": 9,

```

```

        "severe": 24,
        "total": 33
    }
},
{
    "assets": 1,
    "id": 1,
    "importance": "high",
    "lastScanTime": "2019-03-25T05:03:54.400Z",
    "links": [
        {
            "href": "https://10.13.0.65:3780/api/3/sites/1",
            "rel": "self"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/sites/1/alerts",
            "rel": "Alerts"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/sites/1/scan_engine",
            "rel": "Scan Engine"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/sites/1/scan_schedules",
            "rel": "Schedules"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/sites/1/organization",
            "rel": "Organization"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/sites/1/tags",
            "rel": "Tags"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/sites/1/users",
            "rel": "Users"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/sites/1/scan_template",
            "rel": "Template"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/sites/1/site_credentials",
            "rel": "Site Credentials"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/sites/1/shared_credentials",
            "rel": "Assigned Shared Credentials"
        }
    ],

```

```

        {
          "href": "https://10.13.0.65:3780/api/3/sites/1/web_authentication/
html_forms",
          "rel": "Web HTML Forms Authentication"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/1/web_authentication/
http_headers",
          "rel": "Web HTTP Headers Authentication"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/1/assets",
          "rel": "Assets"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/1/included_targets",
          "rel": "Included Targets"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/1/excluded_targets",
          "rel": "Excluded Targets"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/1/
included_asset_groups",
          "rel": "Included Asset Groups"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/sites/1/
excluded_asset_groups",
          "rel": "Excluded Asset Groups"
        }
      ],
      "name": "ThreatQ Website",
      "riskScore": 7405.0,
      "scanEngine": 3,
      "scanTemplate": "full-audit-without-web-spider",
      "type": "static",
      "vulnerabilities": {
        "critical": 5,
        "moderate": 2,
        "severe": 22,
        "total": 29
      }
    }
  ],
  "page": {
    "number": 0,
    "size": 10,
    "totalResources": 2,

```

```

    "totalPages": 1
  },
  "links": [
    {
      "href": "https://10.13.0.65:3780/api/3/sites?page=0&size=10&sort=id,asc",
      "rel": "self"
    }
  ]
}

```

ThreatQuotient provides the following default mapping for this feed:



The following mapping is based on the data pulled from the resources list from the API response

| FEED DATA PATH         | THREATQ ENTITY | THREATQ OBJECT TYPE OR ATTRIBUTE KEY | PUBLISHED DATE | EXAMPLES | NOTES                                           |
|------------------------|----------------|--------------------------------------|----------------|----------|-------------------------------------------------|
| .vulnerability.*       | Description    | Report                               | N/A            | N/A      | HTML is built from the fields in this dict      |
| .tags[]                | Tag            | N/A                                  | N/A            | N/A      | N/A                                             |
| .name                  | Value          | Report                               | .lastScanTime  | N/A      | Concatenated with Rapid7 insightVM Site Report: |
| .importance            | Attribute      | Importance                           | N/A            | High     | Title-cased. Updated at ingestion               |
| .scanTemplate          | Attribute      | Scan Template                        | N/A            | N/A      | N/A                                             |
| .type                  | Attribute      | Scan Type                            | N/A            | static   | N/A                                             |
| .vulnerabilities.total | Attribute      | Total Vulnerabilities                | N/A            | 32       | Updated at ingestion                            |
| .id                    | Attribute      | Site Link                            | N/A            | N/A      | Concatenated with host user field               |

## Get Site Assets (Supplemental)

The Get Site Assets supplemental feed will fetch the associated assets for a given site.

GET `https://<host>:<port>/api/3/sites/<id>/assets`

**Sample Response:**

```
{
  "resources": [
    {
      "addresses": [
        {
          "ip": "10.12.0.101"
        }
      ],
      "assessedForPolicies": false,
      "assessedForVulnerabilities": true,
      "history": [
        {
          "date": "2019-03-22T17:11:00.842Z",
          "scanId": 1,
          "type": "SCAN",
          "version": 1
        },
        {
          "date": "2019-03-23T05:03:42.208Z",
          "scanId": 3,
          "type": "SCAN",
          "version": 2
        },
        {
          "date": "2019-03-24T05:03:37.782Z",
          "scanId": 4,
          "type": "SCAN",
          "version": 3
        },
        {
          "date": "2019-03-25T05:03:37.458Z",
          "scanId": 5,
          "type": "SCAN",
          "version": 4
        }
      ],
      "hostName": "threatq.com",
      "hostNames": [
        {
          "name": "threatq.com",
          "source": "user"
        }
      ]
    }
  ]
}
```

```

],
"id": 1,
"ip": "10.12.0.101",
"links": [
  {
    "href": "https://10.13.0.65:3780/api/3/assets/1",
    "rel": "self"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/1/software",
    "rel": "Software"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/1/files",
    "rel": "Files"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/1/users",
    "rel": "Users"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/1/user_groups",
    "rel": "User Groups"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/1/databases",
    "rel": "Databases"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/1/services",
    "rel": "Services"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/1/tags",
    "rel": "Tags"
  }
],
"os": "Linux 2.6.X",
"osFingerprint": {
  "description": "Linux 2.6.X",
  "family": "Linux",
  "id": 4,
  "product": "Linux",
  "systemName": "Linux",
  "type": "General",
  "vendor": "Linux",
  "version": "2.6.X"
},
"rawRiskScore": 7404.6845703125,
"riskScore": 7404.6845703125,

```

```

"services": [
  {
    "configurations": [
      {
        "name": "bind.version",
        "value": "9.9.4-RedHat-9.9.4-61.el7"
      }
    ],
    "family": "BIND",
    "links": [
      {
        "href": "https://10.13.0.65:3780/api/3/assets/1/services/udp/53",
        "rel": "self"
      },
      {
        "href": "https://10.13.0.65:3780/api/3/assets/1/services/udp/53/
configurations",
        "rel": "Configurations"
      },
      {
        "href": "https://10.13.0.65:3780/api/3/assets/1/services/udp/53/
databases",
        "rel": "Databases"
      },
      {
        "href": "https://10.13.0.65:3780/api/3/assets/1/services/udp/53/
users",
        "rel": "Users"
      },
      {
        "href": "https://10.13.0.65:3780/api/3/assets/1/services/udp/53/
user_groups",
        "rel": "User Groups"
      },
      {
        "href": "https://10.13.0.65:3780/api/3/assets/1/services/udp/53/
web_applications",
        "rel": "Web Applications"
      }
    ],
    "name": "DNS",
    "port": 53,
    "product": "BIND",
    "protocol": "udp",
    "version": "9.9.4-RedHat-9.9.4-61.el7"
  },
  {
    "configurations": [
      {
        "name": "bind.version",

```

```

        "value": "9.9.4-RedHat-9.9.4-61.el7"
    }
],
"family": "BIND",
"links": [
    {
        "href": "https://10.13.0.65:3780/api/3/assets/1/services/tcp/53",
        "rel": "self"
    },
    {
        "href": "https://10.13.0.65:3780/api/3/assets/1/services/tcp/53/
configurations",
        "rel": "Configurations"
    },
    {
        "href": "https://10.13.0.65:3780/api/3/assets/1/services/tcp/53/
databases",
        "rel": "Databases"
    },
    {
        "href": "https://10.13.0.65:3780/api/3/assets/1/services/tcp/53/
users",
        "rel": "Users"
    },
    {
        "href": "https://10.13.0.65:3780/api/3/assets/1/services/tcp/53/
user_groups",
        "rel": "User Groups"
    },
    {
        "href": "https://10.13.0.65:3780/api/3/assets/1/services/tcp/53/
web_applications",
        "rel": "Web Applications"
    }
],
"name": "DNS",
"port": 53,
"product": "BIND",
"protocol": "tcp",
"version": "9.9.4-RedHat-9.9.4-61.el7"
},
{
    "links": [
        {
            "href": "https://10.13.0.65:3780/api/3/assets/1/services/udp/
123",
            "rel": "self"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/assets/1/services/udp/123/

```

```

configurations",
    "rel": "Configurations"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/1/services/udp/123/
databases",
    "rel": "Databases"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/1/services/udp/123/
users",
    "rel": "Users"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/1/services/udp/123/
user_groups",
    "rel": "User Groups"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/1/services/udp/123/
web_applications",
    "rel": "Web Applications"
  }
],
"name": "NTP",
"port": 123,
"protocol": "udp"
}
],
"vulnerabilities": {
  "critical": 5,
  "exploits": 6,
  "malwareKits": 0,
  "moderate": 2,
  "severe": 22,
  "total": 29
}
},
],
"page": {
  "number": 0,
  "size": 10,
  "totalResources": 1,
  "totalPages": 1
},
"links": [
  {
    "href": "https://10.13.0.65:3780/api/3/sites/1/assets?
page=0&size=10&sort=id,asc",
    "rel": "self"
  }
]

```

```
]
}
```

ThreatQuotient provides the following default mapping for this feed:

| FEED DATA PATH                               | THREATQ ENTITY | THREATQ OBJECT TYPE OR ATTRIBUTE KEY | PUBLISHED DATE | EXAMPLES                   | NOTES                                                                                                                 |
|----------------------------------------------|----------------|--------------------------------------|----------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <code>.vulnerability.*</code>                | Description    | Asset                                | N/A            | N/A                        | HTML is built from the fields in this dict                                                                            |
| <code>.tags[]</code>                         | Tag            | N/A                                  | N/A            | N/A                        | N/A                                                                                                                   |
| <code>.tags[]</code>                         | Attribute      | <code>&lt;Tag Type&gt;</code>        | N/A            | N/A                        | Tag Type is determined by the <code>.tags[].type</code> field. Ignored if type is custom                              |
| <code>.services[].vendor/product/name</code> | Attribute      | Installed Service                    | N/A            | OpenBSD -<br>OpenSSH - SSH | Keys are concatenated together if they exist                                                                          |
| <code>.ip/hostname</code>                    | Asset          | Value                                | N/A            | N/A                        | <code>&lt;hostname&gt;</code> ( <code>&lt;ip&gt;</code> ) if hostname exists, otherwise, just <code>&lt;ip&gt;</code> |
| <code>.ip</code>                             | Attribute      | IP Address                           | N/A            | N/A                        | N/A                                                                                                                   |
| <code>.hostname</code>                       | Attribute      | Hostname                             | N/A            | N/A                        | N/A                                                                                                                   |
| <code>.id</code>                             | Attribute      | ID                                   | N/A            | N/A                        | N/A                                                                                                                   |
| <code>.id</code>                             | Attribute      | insightVM Link                       | N/A            | N/A                        | Concatenated with the user field, <code>host</code>                                                                   |
| <code>.os</code>                             | Attribute      | Operating System                     | N/A            | N/A                        | N/A                                                                                                                   |
| <code>.type</code>                           | Attribute      | Asset Type                           | N/A            | N/A                        | N/A                                                                                                                   |
| <code>.vulnerabilities.total</code>          | Attribute      | Total Vulnerabilities                | N/A            | N/A                        | Updated at ingestion                                                                                                  |
| <code>.assessedForPolicies</code>            | Attribute      | Assessed for Policies                | N/A            | N/A                        | Mapped to string. Updated at ingestion                                                                                |
| <code>.assessedForVulnerabilities</code>     | Attribute      | Assessed for Vulnerabilities         | N/A            | N/A                        | Mapped to string. Updated at ingestion                                                                                |



These mappings are based on the data pulled from the resources list from the API response.

## Get Asset Vulnerabilities (Supplemental)

The Get Asset Vulnerabilities supplemental feed will fetch the vulnerabilities for a given asset.

GET `https://<host>:<port>/api/3/assets/<id>/vulnerabilities`

**Sample Response:**

```
{
  "resources": [
    {
      "id": "apache-httpd-cve-2016-4975",
      "instances": 3,
      "links": [
        {
          "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/apache-httpd-cve-2016-4975",
          "rel": "self"
        },
        {
          "id": "apache-httpd-cve-2016-4975",
          "href": "https://10.13.0.65:3780/api/3/vulnerabilities/apache-httpd-cve-2016-4975",
          "rel": "Vulnerability"
        },
        {
          "id": "apache-httpd-cve-2016-4975",
          "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/apache-httpd-cve-2016-4975/validations",
          "rel": "Vulnerability Validations"
        },
        {
          "id": "apache-httpd-cve-2016-4975",
          "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/apache-httpd-cve-2016-4975/solution",
          "rel": "Vulnerability Solutions"
        }
      ],
      "results": [
        {
          "port": 8443,
          "proof": "<p><ul><li>Running HTTPS service</li><li>Product HTTPD exists -- Apache HTTPD 2.4.6</li><li>Vulnerable version of product HTTPD found -- Apache HTTPD 2.4.6</li></ul></p>",
          "protocol": "tcp",
          "since": "2019-03-22T17:36:22.611Z",
          "status": "vulnerable-version"
        },
        {
          "port": 443,
```

```

        "proof": "<p><ul><li>Running HTTPS service</li><li>Product HTTPD
exists -- Apache HTTPD 2.4.6</li><li>Vulnerable version of product HTTPD found
-- Apache HTTPD 2.4.6</li></ul></p>",
        "protocol": "tcp",
        "since": "2019-03-22T17:36:22.611Z",
        "status": "vulnerable-version"
    },
    {
        "port": 80,
        "proof": "<p><ul><li>Running HTTP service</li><li>Product HTTPD
exists -- Apache HTTPD 2.4.6</li><li>Vulnerable version of product HTTPD found
-- Apache HTTPD 2.4.6</li></ul></p>",
        "protocol": "tcp",
        "since": "2019-03-22T17:36:22.611Z",
        "status": "vulnerable-version"
    }
],
"since": "2019-03-22T17:36:22.611Z",
"status": "vulnerable"
},
{
    "id": "apache-httpd-cve-2017-15710",
    "instances": 3,
    "links": [
        {
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
apache-httpd-cve-2017-15710",
            "rel": "self"
        },
        {
            "id": "apache-httpd-cve-2017-15710",
            "href": "https://10.13.0.65:3780/api/3/vulnerabilities/apache-httpd-
cve-2017-15710",
            "rel": "Vulnerability"
        },
        {
            "id": "apache-httpd-cve-2017-15710",
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
apache-httpd-cve-2017-15710/validations",
            "rel": "Vulnerability Validations"
        },
        {
            "id": "apache-httpd-cve-2017-15710",
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
apache-httpd-cve-2017-15710/solution",
            "rel": "Vulnerability Solutions"
        }
    ],
    "results": [
        {

```

```

        "port": 8443,
        "proof": "<p><ul><li>Running HTTPS service</li><li>Product HTTPD
exists -- Apache HTTPD 2.4.6</li><li>Vulnerable version of product HTTPD found
-- Apache HTTPD 2.4.6</li></ul></p>",
        "protocol": "tcp",
        "since": "2019-03-22T17:36:22.611Z",
        "status": "vulnerable-version"
    },
    {
        "port": 443,
        "proof": "<p><ul><li>Running HTTPS service</li><li>Product HTTPD
exists -- Apache HTTPD 2.4.6</li><li>Vulnerable version of product HTTPD found
-- Apache HTTPD 2.4.6</li></ul></p>",
        "protocol": "tcp",
        "since": "2019-03-22T17:36:22.611Z",
        "status": "vulnerable-version"
    },
    {
        "port": 80,
        "proof": "<p><ul><li>Running HTTP service</li><li>Product HTTPD
exists -- Apache HTTPD 2.4.6</li><li>Vulnerable version of product HTTPD found
-- Apache HTTPD 2.4.6</li></ul></p>",
        "protocol": "tcp",
        "since": "2019-03-22T17:36:22.611Z",
        "status": "vulnerable-version"
    }
],
"since": "2019-03-22T17:36:22.611Z",
"status": "vulnerable"
},
{
    "id": "apache-httpd-cve-2018-1301",
    "instances": 3,
    "links": [
        {
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
apache-httpd-cve-2018-1301",
            "rel": "self"
        },
        {
            "id": "apache-httpd-cve-2018-1301",
            "href": "https://10.13.0.65:3780/api/3/vulnerabilities/apache-httpd-
cve-2018-1301",
            "rel": "Vulnerability"
        },
        {
            "id": "apache-httpd-cve-2018-1301",
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
apache-httpd-cve-2018-1301/validations",
            "rel": "Vulnerability Validations"
        }
    ]
}

```

```

    },
    {
      "id": "apache-httpd-cve-2018-1301",
      "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
apache-httpd-cve-2018-1301/solution",
      "rel": "Vulnerability Solutions"
    }
  ],
  "results": [
    {
      "port": 8443,
      "proof": "<p><ul><li>Running HTTPS service</li><li>Product HTTPD
exists -- Apache HTTPD 2.4.6</li><li>Vulnerable version of product HTTPD found
-- Apache HTTPD 2.4.6</li></ul></p>",
      "protocol": "tcp",
      "since": "2019-03-22T17:36:22.611Z",
      "status": "vulnerable-version"
    },
    {
      "port": 443,
      "proof": "<p><ul><li>Running HTTPS service</li><li>Product HTTPD
exists -- Apache HTTPD 2.4.6</li><li>Vulnerable version of product HTTPD found
-- Apache HTTPD 2.4.6</li></ul></p>",
      "protocol": "tcp",
      "since": "2019-03-22T17:36:22.611Z",
      "status": "vulnerable-version"
    },
    {
      "port": 80,
      "proof": "<p><ul><li>Running HTTP service</li><li>Product HTTPD
exists -- Apache HTTPD 2.4.6</li><li>Vulnerable version of product HTTPD found
-- Apache HTTPD 2.4.6</li></ul></p>",
      "protocol": "tcp",
      "since": "2019-03-22T17:36:22.611Z",
      "status": "vulnerable-version"
    }
  ],
  "since": "2019-03-22T17:36:22.611Z",
  "status": "vulnerable"
},
{
  "id": "apache-httpd-cve-2018-1312",
  "instances": 3,
  "links": [
    {
      "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
apache-httpd-cve-2018-1312",
      "rel": "self"
    }
  ],
  {

```

```

        "id": "apache-httpd-cve-2018-1312",
        "href": "https://10.13.0.65:3780/api/3/vulnerabilities/apache-httpd-
cve-2018-1312",
        "rel": "Vulnerability"
    },
    {
        "id": "apache-httpd-cve-2018-1312",
        "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
apache-httpd-cve-2018-1312/validations",
        "rel": "Vulnerability Validations"
    },
    {
        "id": "apache-httpd-cve-2018-1312",
        "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
apache-httpd-cve-2018-1312/solution",
        "rel": "Vulnerability Solutions"
    }
],
"results": [
    {
        "port": 8443,
        "proof": "<p><ul><li>Running HTTPS service</li><li>Product HTTPD
exists -- Apache HTTPD 2.4.6</li><li>Vulnerable version of product HTTPD found
-- Apache HTTPD 2.4.6</li></ul></p>",
        "protocol": "tcp",
        "since": "2019-03-22T17:36:22.611Z",
        "status": "vulnerable-version"
    },
    {
        "port": 443,
        "proof": "<p><ul><li>Running HTTPS service</li><li>Product HTTPD
exists -- Apache HTTPD 2.4.6</li><li>Vulnerable version of product HTTPD found
-- Apache HTTPD 2.4.6</li></ul></p>",
        "protocol": "tcp",
        "since": "2019-03-22T17:36:22.611Z",
        "status": "vulnerable-version"
    },
    {
        "port": 80,
        "proof": "<p><ul><li>Running HTTP service</li><li>Product HTTPD
exists -- Apache HTTPD 2.4.6</li><li>Vulnerable version of product HTTPD found
-- Apache HTTPD 2.4.6</li></ul></p>",
        "protocol": "tcp",
        "since": "2019-03-22T17:36:22.611Z",
        "status": "vulnerable-version"
    }
],
"since": "2019-03-22T17:36:22.611Z",
"status": "vulnerable"
},

```

```

{
  "id": "centos_linux-cve-2018-17972",
  "instances": 1,
  "links": [
    {
      "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/centos_linux-cve-2018-17972",
      "rel": "self"
    },
    {
      "id": "centos_linux-cve-2018-17972",
      "href": "https://10.13.0.65:3780/api/3/vulnerabilities/centos_linux-cve-2018-17972",
      "rel": "Vulnerability"
    },
    {
      "id": "centos_linux-cve-2018-17972",
      "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/centos_linux-cve-2018-17972/validations",
      "rel": "Vulnerability Validations"
    },
    {
      "id": "centos_linux-cve-2018-17972",
      "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/centos_linux-cve-2018-17972/solution",
      "rel": "Vulnerability Solutions"
    }
  ],
  "results": [
    {
      "proof": "<p><p>Vulnerable OS: CentOS Linux 7.6.1810<p></p></p><p><ul><li><ContainerBlockElement>kernel - version 3.10.0-957.5.1.el7 is installed</ContainerBlockElement></li></ul></p></p>",
      "since": "2019-03-22T17:36:22.611Z",
      "status": "vulnerable-version"
    }
  ],
  "since": "2019-03-22T17:36:22.611Z",
  "status": "vulnerable"
},
{
  "id": "centos_linux-cve-2018-18445",
  "instances": 1,
  "links": [
    {
      "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/centos_linux-cve-2018-18445",
      "rel": "self"
    },
    {

```

```

        "id": "centos_linux-cve-2018-18445",
        "href": "https://10.13.0.65:3780/api/3/vulnerabilities/centos_linux-
cve-2018-18445",
        "rel": "Vulnerability"
    },
    {
        "id": "centos_linux-cve-2018-18445",
        "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
centos_linux-cve-2018-18445/validations",
        "rel": "Vulnerability Validations"
    },
    {
        "id": "centos_linux-cve-2018-18445",
        "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
centos_linux-cve-2018-18445/solution",
        "rel": "Vulnerability Solutions"
    }
],
"results": [
    {
        "proof": "<p><p>Vulnerable OS: CentOS Linux 7.6.1810<p></p></p><p><ul><li><ContainerBlockElement>kernel - version 3.10.0-957.5.1.el7 is
installed</ContainerBlockElement></li></ul></p></p>",
        "since": "2019-03-22T17:36:22.611Z",
        "status": "vulnerable-version"
    }
],
"since": "2019-03-22T17:36:22.611Z",
"status": "vulnerable"
},
{
    "id": "centos_linux-cve-2018-9568",
    "instances": 1,
    "links": [
        {
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
centos_linux-cve-2018-9568",
            "rel": "self"
        },
        {
            "id": "centos_linux-cve-2018-9568",
            "href": "https://10.13.0.65:3780/api/3/vulnerabilities/centos_linux-
cve-2018-9568",
            "rel": "Vulnerability"
        },
        {
            "id": "centos_linux-cve-2018-9568",
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
centos_linux-cve-2018-9568/validations",
            "rel": "Vulnerability Validations"
        }
    ]
}

```

```

    },
    {
      "id": "centos_linux-cve-2018-9568",
      "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/centos_linux-cve-2018-9568/solution",
      "rel": "Vulnerability Solutions"
    }
  ],
  "results": [
    {
      "proof": "<p><p>Vulnerable OS: CentOS Linux 7.6.1810<p></p></p><p><ul><li><ContainerBlockElement>kernel - version 3.10.0-957.5.1.el7 is installed</ContainerBlockElement></li></ul></p></p>",
      "since": "2019-03-22T17:36:22.611Z",
      "status": "vulnerable-version"
    }
  ],
  "since": "2019-03-22T17:36:22.611Z",
  "status": "vulnerable"
},
{
  "id": "centos_linux-cve-2019-6133",
  "instances": 1,
  "links": [
    {
      "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/centos_linux-cve-2019-6133",
      "rel": "self"
    },
    {
      "id": "centos_linux-cve-2019-6133",
      "href": "https://10.13.0.65:3780/api/3/vulnerabilities/centos_linux-cve-2019-6133",
      "rel": "Vulnerability"
    },
    {
      "id": "centos_linux-cve-2019-6133",
      "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/centos_linux-cve-2019-6133/validations",
      "rel": "Vulnerability Validations"
    },
    {
      "id": "centos_linux-cve-2019-6133",
      "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/centos_linux-cve-2019-6133/solution",
      "rel": "Vulnerability Solutions"
    }
  ],
  "results": [
    {

```

```

        "proof": "<p><p>Vulnerable OS: CentOS Linux 7.6.1810<p></p></p><p><p><ul><li><ContainerBlockElement>polkit - version 0.112-18.el7 is installed</ContainerBlockElement></li></ul></p></p>",
        "since": "2019-03-22T17:36:22.611Z",
        "status": "vulnerable-version"
    },
    ],
    "since": "2019-03-22T17:36:22.611Z",
    "status": "vulnerable"
},
{
    "id": "certificate-common-name-mismatch",
    "instances": 2,
    "links": [
        {
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/certificate-common-name-mismatch",
            "rel": "self"
        },
        {
            "id": "certificate-common-name-mismatch",
            "href": "https://10.13.0.65:3780/api/3/vulnerabilities/certificate-common-name-mismatch",
            "rel": "Vulnerability"
        },
        {
            "id": "certificate-common-name-mismatch",
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/certificate-common-name-mismatch/validations",
            "rel": "Vulnerability Validations"
        },
        {
            "id": "certificate-common-name-mismatch",
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/certificate-common-name-mismatch/solution",
            "rel": "Vulnerability Solutions"
        }
    ],
    "results": [
        {
            "port": 8443,
            "proof": "<p><p>The subject common name found in the X.509 certificate does not seem to match the scan target:<ul><li>Subject CN *.threatq.com does not match target name specified in the site.</li><li>Subject CN *.threatq.com could not be resolved to an IP address via DNS lookup</li><li>Subject Alternative Name *.threatq.com does not match target name specified in the site.</li><li>Subject Alternative Name threatq.com does not match target name specified in the site.</li></ul></p></p>",
            "protocol": "tcp",
            "since": "2019-03-22T17:36:22.611Z",

```

```

        "status": "vulnerable"
    },
    {
        "port": 443,
        "proof": "<p><p>The subject common name found in the X.509
certificate does not seem to match the scan target:<ul><li>Subject CN
*.threatq.com does not match target name specified in the site.</li><li>Subject
CN *.threatq.com could not be resolved to an IP address via DNS lookup</
li><li>Subject Alternative Name *.threatq.com does not match target name
specified in the site.</li><li>Subject Alternative Name threatq.com does not
match target name specified in the site.</li></ul></p></p>",
        "protocol": "tcp",
        "since": "2019-03-22T17:36:22.611Z",
        "status": "vulnerable"
    }
],
"since": "2019-03-22T17:36:22.611Z",
"status": "vulnerable"
},
{
    "id": "generic-icmp-timestamp",
    "instances": 1,
    "links": [
        {
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
generic-icmp-timestamp",
            "rel": "self"
        },
        {
            "id": "generic-icmp-timestamp",
            "href": "https://10.13.0.65:3780/api/3/vulnerabilities/generic-icmp-
timestamp",
            "rel": "Vulnerability"
        },
        {
            "id": "generic-icmp-timestamp",
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
generic-icmp-timestamp/validations",
            "rel": "Vulnerability Validations"
        },
        {
            "id": "generic-icmp-timestamp",
            "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities/
generic-icmp-timestamp/solution",
            "rel": "Vulnerability Solutions"
        }
    ],
    "results": [
        {
            "proof": "<p><p>Able to determine remote system time.</p></p>",

```

```

        "since": "2019-03-22T17:36:22.611Z",
        "status": "vulnerable"
      }
    ],
    "since": "2019-03-22T17:36:22.611Z",
    "status": "vulnerable"
  }
},
"page": {
  "number": 0,
  "size": 10,
  "totalResources": 33,
  "totalPages": 4
},
"links": [
  {
    "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities?
page=0&size=10&sort=id,asc",
    "rel": "first"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities?
page=0&size=10&sort=id,asc",
    "rel": "self"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities?
page=1&size=10&sort=id,asc",
    "rel": "next"
  },
  {
    "href": "https://10.13.0.65:3780/api/3/assets/2/vulnerabilities?
page=3&size=10&sort=id,asc",
    "rel": "last"
  }
]
}

```

ThreatQuotient provides the following default mapping for this feed:

| FEED DATA PATH | THREATQ ENTITY  | THREATQ OBJECT TYPE OR ATTRIBUTE KEY | NORMALIZATION | PUBLISHED DATE | EXAMPLES | NOTES                                              |
|----------------|-----------------|--------------------------------------|---------------|----------------|----------|----------------------------------------------------|
| .id            | Indicator Value | CVE                                  | N/A           | N/A            | N/A      | Parsed from the ID of the vulnerability            |
| .proof[]       | Description     | Asset                                | N/A           | N/A            | N/A      | HTML is built from the values within the proof key |



These mappings are based on the data pulled from the resources list from the API response.

## Get Tags (Supplemental)

The Get Tags supplemental feed will fetch the tags for a given asset or site.

GET `https://<host>:<port>/api/3/<entity_type>/<id>/tags`

**Sample Response:**

```
{
  "resources": [
    {
      "color": "default",
      "created": "2019-03-21T21:02:38.439Z",
      "id": 2,
      "links": [
        {
          "href": "https://10.13.0.65:3780/api/3/tags/2",
          "rel": "self"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/tags/2/assets",
          "rel": "Tag Assets"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/tags/2/asset_groups",
          "rel": "Tag Asset Groups"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/tags/2/sites",
          "rel": "Tag Sites"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/tags/2/search_criteria",
          "rel": "Tag Search Criteria"
        },
        {
          "href": "https://10.13.0.65:3780/api/3/users/0",
          "rel": "Tag Creator"
        }
      ],
      "name": "High",
      "riskModifier": "1.5",
      "source": "built-in",
      "sources": [
        {
          "source": "tag"
        }
      ],
      "type": "criticality"
    },
  ],
}
```

```
{
  "color": "default",
  "created": "2021-11-22T18:32:31.590Z",
  "id": 7,
  "links": [
    {
      "href": "https://10.13.0.65:3780/api/3/tags/7",
      "rel": "self"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/tags/7/assets",
      "rel": "Tag Assets"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/tags/7/asset_groups",
      "rel": "Tag Asset Groups"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/tags/7/sites",
      "rel": "Tag Sites"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/tags/7/search_criteria",
      "rel": "Tag Search Criteria"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/users/1",
      "rel": "Tag Creator"
    }
  ],
  "name": "on-prem",
  "source": "custom",
  "sources": [
    {
      "source": "tag"
    }
  ],
  "type": "location"
},
{
  "color": "default",
  "created": "2021-11-22T18:32:35.543Z",
  "id": 8,
  "links": [
    {
      "href": "https://10.13.0.65:3780/api/3/tags/8",
      "rel": "self"
    },
    {
      "href": "https://10.13.0.65:3780/api/3/tags/8/assets",

```

```

        "rel": "Tag Assets"
    },
    {
        "href": "https://10.13.0.65:3780/api/3/tags/8/asset_groups",
        "rel": "Tag Asset Groups"
    },
    {
        "href": "https://10.13.0.65:3780/api/3/tags/8/sites",
        "rel": "Tag Sites"
    },
    {
        "href": "https://10.13.0.65:3780/api/3/tags/8/search_criteria",
        "rel": "Tag Search Criteria"
    },
    {
        "href": "https://10.13.0.65:3780/api/3/users/1",
        "rel": "Tag Creator"
    }
],
"name": "TIE",
"source": "custom",
"sources": [
    {
        "source": "tag"
    }
],
"type": "owner"
},
{
    "color": "blue",
    "created": "2021-11-22T18:32:45.337Z",
    "id": 9,
    "links": [
        {
            "href": "https://10.13.0.65:3780/api/3/tags/9",
            "rel": "self"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/tags/9/assets",
            "rel": "Tag Assets"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/tags/9/asset_groups",
            "rel": "Tag Asset Groups"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/tags/9/sites",
            "rel": "Tag Sites"
        }
    ]
}

```

```

        "href": "https://10.13.0.65:3780/api/3/tags/9/search_criteria",
        "rel": "Tag Search Criteria"
    },
    {
        "href": "https://10.13.0.65:3780/api/3/users/1",
        "rel": "Tag Creator"
    }
],
"name": "threatq-demo",
"source": "custom",
"sources": [
    {
        "source": "tag"
    }
],
"type": "custom"
},
{
    "color": "orange",
    "created": "2021-11-22T18:33:03.265Z",
    "id": 10,
    "links": [
        {
            "href": "https://10.13.0.65:3780/api/3/tags/10",
            "rel": "self"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/tags/10/assets",
            "rel": "Tag Assets"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/tags/10/asset_groups",
            "rel": "Tag Asset Groups"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/tags/10/sites",
            "rel": "Tag Sites"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/tags/10/search_criteria",
            "rel": "Tag Search Criteria"
        },
        {
            "href": "https://10.13.0.65:3780/api/3/users/1",
            "rel": "Tag Creator"
        }
    ],
    "name": "validated",
    "source": "custom",
    "sources": [

```

```
        {
          "source": "tag"
        }
      ],
      "type": "custom"
    }
  ],
  "links": [
    {
      "href": "https://10.13.0.65:3780/api/3/assets/2/tags",
      "rel": "self"
    }
  ]
}
```

# Average Feed Run



Object counts and Feed runtime are supplied as generalities only - objects returned by a provider can differ based on credential configurations and Feed runtime may vary based on system resources and load.

## Rapid7 insightVM - Sites

| METRIC            | RESULT   |
|-------------------|----------|
| Run Time          | 1 minute |
| Assets            | 2        |
| Asset Attributes  | 24       |
| Indicators        | 45       |
| Reports           | 2        |
| Report Attributes | 10       |

# Change Log

- **Version 1.0.3**
  - Resolved an issue with the **Rapid7 insightVM - Sites** feed where users would encounter an error if the services key was missing.
- **Version 1.0.2**
  - Resolved an issue that would occur when the Rapid7 API returned nested vulnerability lists.
  - Updated the integration to allow certain attributes to be updated upon ingestion.
  - Added the following new configuration parameters:
    - **Only Ingest Vulnerable Sites / Assets** - provides the option to track all sites / assets or only the ones with vulnerabilities.
    - **Importance Filter** - set the importances levels for sites to ingest.
    - **Minimum Risk Score Threshold** - enter the minimum score required to ingest a site or asset.
    - **Scan Template Filter** -enter a comma-separated list of scan template IDs to ingest.
    - **Disable Proxies** - select whether or not to honor the proxy setting configured in the ThreatQ platform.
  - Updated support tier to ThreatQ Supported.
  - Updated the minimum ThreatQ version to 5.10.0
- **Version 1.0.0**
  - Initial release