

ThreatQuotient



Recorded Future CDF Guide

Version 2.8.0

April 24, 2023

ThreatQuotient

20130 Lakeview Center Plaza Suite 400
Ashburn, VA 20147



ThreatQ Supported

Support

Email: support@threatq.com

Web: support.threatq.com

Phone: 703.574.9893

Contents

Integration Details	5
Introduction	6
Prerequisites	8
Installation	9
Configuration	10
ThreatQ Mapping	15
Recorded Future Domain Risk List	15
Recorded Future IP Risk List	17
Recorded Future URL Risk List	18
Recorded Future Vulnerability Risk List	19
Recorded Future Hash Risk List	20
Recorded Future Analyst Note	21
Entities Mapping	23
Recorded Future Alerts	25
Recorded Future Alert Details (Supplemental)	27
Related Indicator Type Mapping	29
Recorded Future Playbook Alerts	30
Domain Abuse Playbook Alert (Supplemental)	31
Average Feed Run	35
Recorded Future Domain Risk List	35
Recorded Future IP Risk List	35
Recorded Future URL Risk List	36
Recorded Future Vulnerability Risk	36
Recorded Future Hash Risk List	36
Recorded Future Analyst Note	37
Recorded Future Alerts	37
Recorded Future Playbook Alerts	38
Known Issues / Limitations	39
Change Log	40

Warning and Disclaimer

ThreatQuotient, Inc. provides this document “as is”, without representation or warranty of any kind, express or implied, including without limitation any warranty concerning the accuracy, adequacy, or completeness of such information contained herein. ThreatQuotient, Inc. does not assume responsibility for the use or inability to use the software product as a result of providing this information.

Copyright © 2023 ThreatQuotient, Inc.

All rights reserved. This document and the software product it describes are licensed for use under a software license agreement. Reproduction or printing of this document is permitted in accordance with the license agreement.

Support

This integration is designated as **ThreatQ Supported**.

Support Email: support@threatq.com

Support Web: <https://support.threatq.com>

Support Phone: 703.574.9893

Integrations/apps/add-ons designated as **ThreatQ Supported** are fully supported by ThreatQuotient's Customer Support team.

ThreatQuotient strives to ensure all ThreatQ Supported integrations will work with the current version of ThreatQuotient software at the time of initial publishing. This applies for both Hosted instance and Non-Hosted instance customers.



ThreatQuotient does not provide support or maintenance for integrations, apps, or add-ons published by any party other than ThreatQuotient, including third-party developers.

Integration Details

ThreatQuotient provides the following details for this integration:

Current Integration Version	2.8.0
-----------------------------	-------

Compatible with ThreatQ Versions	>= 4.34.0
----------------------------------	-----------

Support Tier	ThreatQ Supported
--------------	-------------------

ThreatQ Marketplace	https:// marketplace.threatq.com/ details/recorded-future
---------------------	---

Introduction

The Recorded Future CDF ingests threat intelligence data from the following feeds published by the *Recorded Future* vendor:

- **Recorded Future Domain Risk List** - retrieves information in the form of a CSV list where the first token is risk data and the last token containing the supporting context.
- **Recorded Future IP Risk List** - retrieves IP Addresses from the provider.
- **Recorded Future URL Risk List** - retrieves URLs from the provider.
- **Recorded Future Vulnerability Risk List** - retrieves CVEs from the provider.
- **Recorded Future Hash Risk List** - retrieves Hashes from the provider.
- **Recorded Future Analyst Note** - retrieves Reports, Indicators, and Attack Patterns from the provider.
- **Recorded Future Alerts** - retrieves Alerts from the provider.
- **Recorded Future Alerts Details (Supplemental)** - retrieves related data for each of the ingested events retrieved from the Alert endpoint.
- **Recorded Future Playbook Alerts** - retrieves a list of alerts filtered by the values provided in the configuration section.
- **Domain Abuse Playbook Alert (Supplemental)** - retrieves related data for each of the ingested events retrieved from the Alert endpoint.

The integration ingests the following system objects:

- Attack Patterns
 - Attack Pattern Attributes
- Events
 - Event Attributes
- Indicators
 - Indicator Attributes
- Malware
 - Malware Attributes
- Reports
 - Report Attributes
- Vulnerabilities

- Vulnerability Attributes

Prerequisites

MITRE ATT&CK attack patterns must have already been ingested by a previous run of the MITRE ATT&CK feeds in order for MITRE ATT&CK attack patterns ingested by the Analyst Note feed to be created. MITRE ATT&CK attack patterns are ingested from the following feeds:

- MITRE Enterprise ATT&CK
- MITRE Mobile ATT&CK
- MITRE PRE-ATT&CK

Installation

Perform the following steps to install the integration:



The same steps can be used to upgrade the integration to a new version.

1. Log into <https://marketplace.threatq.com/>.
2. Locate and download the integration file.
3. Navigate to the integrations management page on your ThreatQ instance.
4. Click on the **Add New Integration** button.
5. Upload the integration file using one of the following methods:
 - Drag and drop the file into the dialog box
 - Select **Click to Browse** to locate the integration file on your local machine



ThreatQ will inform you if the feed already exists on the platform and will require user confirmation before proceeding. ThreatQ will also inform you if the new version of the feed contains changes to the user configuration. The new user configurations will overwrite the existing ones for the feed and will require user confirmation before proceeding.

6. If prompted, select the individual feeds to install and click **Install**. The feed will be added to the integrations page.

You will still need to [configure and then enable](#) the feed.

Configuration



ThreatQuotient does not issue API keys for third-party vendors. Contact the specific vendor to obtain API keys and other integration-related credentials.

To configure the integration:

1. Navigate to your integrations management page in ThreatQ.
2. Select the **Commercial** option from the *Category* dropdown (optional).



If you are installing the integration for the first time, it will be located under the **Disabled** tab.

3. Click on the integration entry to open its details page.
4. Enter the following parameters under the **Configuration** tab:



All Recorded Future feeds require the Recorded Future API Key. The tables below provide any additional parameters required for specific feeds included with this integration.

All Feeds

PARAMETER	DESCRIPTION
API Key	Your API Key to be used in HTTP headers for accessing feed data.

All Risk List Feeds

PARAMETER	DESCRIPTION
List to be Retrieved	Use the checkboxes provided to select specific Recorded Future lists to be retrieved.

PARAMETER	DESCRIPTION
Minimum Risk Score Threshold	The numeric value representing the minimum risk score required to ingest an IOC. The default setting is 50.

Recorded Future Vulnerability Risk List - Additional Parameter

PARAMETER	DESCRIPTION
Save CVE Data As	Select whether to ingest CVEs as: ThreatQ Vulnerability objects Indicator objects Both  The default setting is to ingest Indicators objects.

Recorded Future Hash Risk List - Additional Parameter

PARAMETER	DESCRIPTION
Ingested Hash Types	Select the type of hashes to be ingested into ThreatQ. Options include ◦ MD5 ◦ SHA-1 ◦ SHA-256

Recorded Future Analyst Note - Additional Parameters

PARAMETER	DESCRIPTION
Entity	A string to search for notes by entity ID.
Author	A string to search for notes by author ID.
Title	A string to search for notes by title.
Topic	A string to search for notes by topic ID. The options for this user field are: ◦ Actor Profile ◦ Analyst On-Demand Report ◦ Cyber Threat Analysis ◦ Flash Report ◦ Geopolitics ◦ Hunting Package ◦ Indicator ◦ Informational ◦ Malware/Tool Profile ◦ SNORT Rule ◦ Source Profile ◦ Threat Lead ◦ TTP Instance ◦ Validated Intelligence Event ◦ Weekly Threat Landscape ◦ YARA Rule
Label	A string that helps searching for notes by label, by name.
Source	A string that helps sorting by the source of note. The options for this user field will be:

Recorded Future Alerts - Additional Parameters

PARAMETER	DESCRIPTION
Triggered	A string to search for events from a specific date (YYYY-MM-DD or YYYY-MM or YYYY).
Review Status	A string to search for events by status (Unassigned, Assigned, No Action and Tuning). If no specific status is selected, all event statuses are returned by the provider.
Freertext Search	A string to search for events by any value.
Ingested Hash Types	Select the type of hashes to be ingested into ThreatQ. Options include ◦ MD5 ◦ SHA-1 ◦ SHA-256

Recorded Future Playbook Alerts - Additional Parameters

PARAMETER	DESCRIPTION
Filter By	The date that will be used for filtering the alerts: creation or update time of the Playbook Alert.
Statuses	The Status of the Playbook Alert. Options include: ◦ New ◦ In Progress ◦ Dismissed ◦ Resolved
Priority	The Priority of the Playbook Alert. Options include:

PARAMETER

DESCRIPTION

- High Priority
- Moderate Priority
- Priority Informational

5. Review any additional settings, make any changes if needed, and click on **Save**.
6. Click on the toggle switch, located above the *Additional Information* section, to enable it.

ThreatQ Mapping

Recorded Future Domain Risk List

The data on this feed comes in form of a CSV list. The first token is the actual risk data (domain), and the last token (EvidenceDetails) contains supporting context. This token is a JSON-formatted string of an array of dictionaries.

GET <https://api.recordedfuture.com/v2/domain/risklist>

Sample Response:

```
'ns513726.ip-192-99-148.net', '92', '3/32',  
'{"EvidenceDetails":  
  [  
    {  
      "CriticalityLabel": "Unusual",  
      "Rule": "Historical Malware Analysis DNS Name",  
      "EvidenceString": "6 sightings on 1 source: VirusTotal...",  
      "Timestamp": "2015-04-04T00:00:00.000Z",  
      "Criticality": 1  
    },  
    {  
      "CriticalityLabel": "Suspicious",  
      "Rule": "Blacklisted DNS Name",  
      "EvidenceString": "1 sighting on 1 source: DShield: Suspicious Domain List.",  
      "Timestamp": "2018-12-26T07:12:00.936Z",  
      "Criticality": 2  
    },  
    {  
      "CriticalityLabel": "Very Malicious",  
      "Rule": "C&C DNS Name",  
      "EvidenceString": "1 sighting on 1 source: Abuse.ch: Zeus Domain Blocklist (Standard).",  
      "Timestamp": "2018-12-26T07:12:00.936Z",  
      "Criticality": 4  
    }  
  ]  
}'
```

ThreatQuotient provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
0 (first token)	Indicator.Value	FQDN	N/A	ns513726.ip-192-99-148.net	N/A
1 (second token)	Indicator.Attribute	Risk Score	N/A	66	N/A
2 (third token)	Indicator.Attribute	Risk String	N/A	2/32	N/A
3 (fourth token) [].CriticalityLabel	Indicator.Attribute	Criticality	3 (fourth token) [].Timestamp	Suspicious	N/A
3 (fourth token) [].Rule	Indicator.Attribute	Associated Rule	3 (fourth token) [].Timestamp	Blacklisted DNS Name	N/A
3 (fourth token) [].EvidenceString	Indicator.Attribute	Evidence	3 (fourth token) [].Timestamp	1 sighting on 1 source: Abuse.ch: Zeus Domain Blocklist (Standard).	N/A

Recorded Future IP Risk List

Similar to the above feed, this feed gets IP addresses as indicators.

GET <https://api.recordedfuture.com/v2/ip/risklist>

Sample Response:

```
'5.120.187.119', '65', '1/49',  
'{"EvidenceDetails":  
  [  
    {  
      "CriticalityLabel": "Malicious",  
      "Rule": "Recent Positive Malware Verdict",  
      "EvidenceString": "1 sighting on 1 source: ReversingLabs...",  
      "Timestamp": "2018-11-22T00:00:00.000Z",  
      "Criticality": 3  
    }  
  ]  
}'
```

ThreatQuotient provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
0 (first token)	Indicator.Value	IP Address	N/A	5.120.187.119	N/A
1 (second token)	Indicator.Attribute	Risk Score	N/A	65	N/A
2 (third token)	Indicator.Attribute	Risk String	N/A	1/49	N/A
3 (fourth token) [].CriticalityLabel	Indicator.Attribute	Criticality	3 (fourth token) [].Timestamp	Malicious	N/A
3 (fourth token)[]Rule	Indicator.Attribute	Associated Rule	3 (fourth token) [].Timestamp	Recent Positive Malware Verdict	N/A
3 (fourth token) [].EvidenceString	Indicator.Attribute	Evidence	3 (fourth token) [].Timestamp	1 sighting on 1 source: ReversingLabs.	N/A

Recorded Future URL Risk List

Similar to the above feeds, this feed gets URLs as indicators.

GET <https://api.recordedfuture.com/v2/url/risklist>

Sample Response:

```
'http://handle.booktobi.com/css/index.html', '65', '1/7',
{'EvidenceDetails':
[
{
"CriticalityLabel": "Malicious",
"Rule": "Active Phishing URL",
"EvidenceString": "1 sighting on 1 source: PhishTank: Phishing Reports.",
"Timestamp": "2018-12-26T16:15:44.750Z",
"Criticality": 3
}
]
}'
```

ThreatQuotient provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
0 (first token)	Indicator.Value	URL	N/A	http://handle.booktobi.com/css/index.html	N/A
1 (second token)	Indicator.Attribute	Risk Score	N/A	65	N/A
2 (third token)	Indicator.Attribute	Risk String	N/A	1/7	N/A
3 (fourth token) [.CriticalityLabel	Indicator.Attribute	Criticality	3 (fourth token) [.Timestamp	Malicious	N/A
3 (fourth token)[.Rule	Indicator.Attribute	Associated Rule	3 (fourth token) [.Timestamp	Active Phishing URL	N/A
3 (fourth token) [.EvidenceString	Indicator.Attribute	Evidence	3 (fourth token) [.Timestamp	1 sighting on 1 source: PhishTank: Phishing Reports.	N/A

Recorded Future Vulnerability Risk List

Similar to the above feeds, this feed gets CVEs.

GET <https://api.recordedfuture.com/v2/vulnerability/risklist>

Sample Response:

```
'CVE-2018-0802', '89', '11/18',
{'EvidenceDetails':
  [
    {
      "CriticalityLabel": "Low",
      "Rule": "Linked to Historical Cyber Exploit",
      "EvidenceString": "4281 sightings on 351 sources including: ...",
      "Timestamp": "2018-11-14T22:31:30.000Z",
      "Criticality": 1
    },
    {
      "CriticalityLabel": "Low",
      "Rule": "Historically Linked to Penetration Testing Tools",
      "EvidenceString": "1 sighting on 1 source: @DTechCloud...",
      "Timestamp": "2018-05-07T20:31:29.000Z", "Criticality": 1
    }
  ]
}
```

ThreatQuotient provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
0 (first token)	Indicator.Value/Vulnerability.Value	CVE/N/A	N/A	CVE-2018-0802	N/A
1 (second token)	Indicator.Attribute/ Vulnerability.Attribute	Risk Score	N/A	89	N/A
2 (third token)	Indicator.Attribute/ Vulnerability.Attribute	Risk String	N/A	11/18	N/A
3 (fourth token) [].CriticalityLabel	Indicator.Attribute/ Vulnerability.Attribute	Criticality	3 (fourth token) [].Timestamp	Low	N/A
3 (fourth token)[].Rule	Indicator.Attribute/ Vulnerability.Attribute	Associated Rule	3 (fourth token) [].TimeStamps	Linked to Historical Cyber Exploit	N/A
3 (fourth token) [].EvidenceString	Indicator.Attribute/ Vulnerability.Attribute	Evidence	3 (fourth token) [].Timestamp	1 sighting on 1 source: @DTechCloud....	N/A

Recorded Future Hash Risk List

Similar to the above feeds, this feed gets Hashes.

GET <https://api.recordedfuture.com/v2/hash/risklist>

Sample Response:

```
'ed01ebfbc9eb5bbea545af4d01bf5f1071661840480439c6e5babe8e080e41aa', 'SHA-256', '89', '4/10',  
'{"EvidenceDetails":  
  [  
    {  
      "CriticalityLabel": "Unusual",  
      "Rule": "Threat Researcher",  
      "EvidenceString": "21 sightings on 9 sources including: ...",  
      "Timestamp": "2018-01-28T11:24:35.942Z",  
      "Criticality": 1.0  
    },  
    {  
      "CriticalityLabel": "Suspicious",  
      "Rule": "Linked to Vulnerability",  
      "EvidenceString": "5 sightings on 2 sources: ...",  
      "Timestamp": "2017-08-08T14:10:11.410Z",  
      "Criticality": 2  
    },  
    {  
      "CriticalityLabel": "Suspicious",  
      "Rule": "Linked to Malware",  
      "EvidenceString": "Previous sightings on 36 sources including: ...",  
      "Timestamp": "2017-05-12T15:39:30.000Z",  
      "Criticality": 2  
    }  
  ]  
}'
```

ThreatQuotient provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
0 (first token)	Indicator.Value	1 (second token)	N/A	00d48afbba5ef9eadb572730b2d0cafa	N/A
2 (third token)	Indicator.Attribute	Risk Score	N/A	89	N/A
3 (fourth token)	Indicator.Attribute	Risk String	N/A	4/10	N/A
4 (fifth token) [].CriticalityLabel	Indicator.Attribute	Criticality	4 (fifth token) [].Timestamp	Suspicious	N/A
4 (fifth token)[]Rule	Indicator.Attribute	Associated Rule	4 (fifth token) [].Timestamp	Linked to Malware	N/A
4 (fifth token) [].EvidenceString	Indicator.Attribute	Evidence	4 (fifth token) [].Timestamp	Previous sightings on 36 sources including: ...	N/A

Recorded Future Analyst Note

This feed gets Reports, Indicators and Attack Patterns. The data sample and mapping are below:

GET <https://api.recordedfuture.com/v2/analystnote/search>

Sample Response:

```
{
  "data": {
    "results": [
      {
        "source": {
          "id": "VKz42X",
          "name": "Insikt Group",
          "type": "Source"
        },
        "attributes": {
          "validated_on": "2020-02-06T06:59:32.784Z",
          "published": "2020-02-06T06:59:32.784Z",
          "text": "some text",
          "topic": [
            {
              "id": "TXSFt0",
              "name": "Flash Report",
              "type": "Topic"
            }
          ],
          "title": "Mailto Ransomware Targets Enterprise Networks",
          "note_entities": [
            {
              "id": "bLfMiL",
              "name": "Mailto Ransomware",
              "type": "Malware"
            }
          ],
          "context_entities": [
            {
              "id": "J6Uzb0",
              "name": "Bleeping Computer",
              "type": "Source"
            }
          ],
          "validation_urls": [
            {
              "id": "url:url:https://www.bleepingcomputer.com/news/security/mailto-netwalker-ransomware-targets-enterprise-networks/",
              "name": "url:https://www.bleepingcomputer.com/news/security/mailto-netwalker-ransomware-targets-enterprise-networks/",
              "type": "URL"
            },
            {
              "id": "url:url:https://twitter.com/VK_Intel/status/1225086186445733889?s=20",
              "name": "url:https://twitter.com/VK_Intel/status/1225086186445733889?s=20",
              "type": "URL"
            }
          ]
        }
      }
    ]
  }
}
```

```

    }
  ],
  },
  "id": "cu1WGK"
}
]
},
"counts": {
  "returned": 10,
  "total": 19216
}
}

```

ThreatQuotient provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.data.results[].attributes.title	Report.Name	Report	"Mailto Ransomware Targets Enterprise Networks"	N/A	
.data.results[].attributes.published	Report.Published_at	N/A	"2020-02-06T06:59:32.784Z"	This date will also be used for related indicators and attack patterns.	
.data.results[].attributes.text	Report.Description	Description	"text"	N/A	
.data.results[].source.name	Report.Attribute	Recorded Future Source	"Insikt Group"	N/A	
.data.results[].attributes.topic[].name	Report.Attribute	Topic Name	"Flash Report"	N/A	
.data.results[].attributes.validated_on	Report.Attribute	Validated On	"2020-02-06T06:59:32.784Z"	N/A	
.data.results[].attributes.context_entities	N/A	N/A	N/A	*See entities mapping	
.data.results[].attributes.note_entities	N/A	N/A	N/A	*See entities mapping	

Entities Mapping

This mapping will be used to map both values from `context_entities` and `note_entities`. The data sample and mapping are below:

Sample Response:

```
{
  "context_entities": [
    {
      "id": "J6Uzb0",
      "name": "Bleeping Computer",
      "type": "Source",
      "description": "some description"
    }
  ]
}
```

```
indicator_type_map:
  IPAddress: IP Address
  URL: URL
  CyberVulnerability: CVE
```

ThreatQ will filter based by type. If the value of the `type` key is contained in the `indicator_type_map` below or is equal to `hash`, an indicator will be ingested (the `published_at` date will be the same as for the report object). If the `type` key is equal to `Malware`, an object of type `Malware` type will be ingested. If the `type` key is equal to `MitreAttackIdentifier`, an object of `Attack Pattern` type will be ingested. Else, attributes will be created for the main report object.

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	EXAMPLES	NOTES
value	Report.Attribute	.name	"Bleeping Computer"	N/A
.text	Report.Attribute	.description	"some description"	N/A
.name	Indicator.Value	Indicator	"Bleeping Computer"	N/A
.type	Indicator.Type	.name	"Ip Address"	The value for this will be <code>indicator_type_map[.type]</code> if it exists there. If the value is <code>hash</code> , the value length will be analyzed and based on it it will be either MD5, SHA-1, or SHA-256.
.description	Indicator.Attribute	Description	"some description"	N/A
See note	Indicator.Attribute	Analyst Note	"some description"	N/A

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	EXAMPLES	NOTES
.name	Attack_pattern.Value	Attack Pattern	"T1001 - Data Obfuscation"	The value for the Attack Pattern objects is generated based on the ingested name and the values of already ingested MITRE attack patterns (by MITRE ATT&CK feeds). If the ingested name is 'T1001', the value will be 'T1001 - Data Obfuscation'.
.description	Attack_pattern.Attribute	Entity Description	"some description"	N/A
See note	Attack_pattern.Attribute	Analyst Note	"some description"	N/A
.name	Malware.Value	Malware	"Bleeping Computer"	N/A
.description	Malware.Attribute	Entity Description	"some description"	N/A
See note	Malware.Attribute	Analyst Note	"some description"	N/A



The Analyst Note attribute inherits its value from the parent report's description.

Recorded Future Alerts

The Alerts feed retrieves Alerts from the provider.

GET <https://api.recordedfuture.com/v2/alert/search>

Sample Response:

```
{
  "data": {
    "results": [
      {
        "review": {
          "assignee": null,
          "noteAuthor": null,
          "note": null,
          "status": "no-action",
          "noteDate": null
        },
        "url": "https://app.recordedfuture.com/live/sc/notification/?id=eWnL8e",
        "rule": {
          "url": "https://app.recordedfuture.com/live/sc/ViewIdkobra_view_report_item_alert_editor?view_opts=%7B%22reportId%22%3A%22dpNEJw%22%2C%22bTitle%22%3Atrue%2C%22title%22%3A%22Possible+Fraud+related+to+COVID-19%22%7D&state.bNavbar=false",
          "name": "Possible Fraud related to COVID-19",
          "id": "dpNEJw"
        },
        "triggered": "2020-06-28T10:09:31.681Z",
        "id": "eWnL8e",
        "title": "Possible Fraud related to COVID-19 - New references in 18 documents",
        "type": "REFERENCE"
      }
    ]
  },
  "counts": {
    "returned": 1,
    "total": 63
  }
}
```

ThreatQuotient provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.data.results[].title	Event.Title	N/A	.data.results[].review.noteDate / .data.results[].triggered	Possible Fraud related to COVID-19 - New references in 18 documents	If 'noteDate' is not present 'triggered' is used as 'Published Date'
.data.results[].triggered	Event.Happened_at	N/A	N/A	2020-06-28 10:09:31-00:00	N/A
.data.results[].review.note	Event.Description	N/A	N/A	This is an event that was created today	N/A
.data.results[].review.assignee	Event.Attribute	Assignee	.data.results[].review.noteDate / .data.results[].triggered	joe@gmail.com	N/A
.data.results[].review.noteAuthor	Event.Attribute	Note Author	.data.results[].review.noteDate / .data.results[].triggered	Joe	N/A
.data.results[].review.status	Event.Attribute	Alert Status	.data.results[].review.noteDate / .data.results[].triggered	no-action	N/A
.data.results[].url	Event.Attribute	Reference URL	.data.results[].review.noteDate / .data.results[].triggered	https://app.recordedfuture.com/live/sc/notification/?id=eWnL8e	N/A
.data.results[].rule.url	Event.Attribute	Triggered Rule URL	.data.results[].review.noteDate / .data.results[].triggered	https://app.recordedfuture.com/live/sc/ViewIdkobra_view_report_item_alert_editor?view_opts=%7B%22reportId%22%3A%22dpNEJw%22%2C%22bTitle%22%3Atrue%2C%22title%22%3A%22Possible+Fraud+related+to+COVID-19%22%7D&state.bNavbar=false	N/A
.data.results[].rule.name	Event.Attribute	Triggered Rule Name	.data.results[].review.noteDate / .data.results[].triggered	Possible Fraud related to COVID-19	N/A
.data.results[].type	Event.Attribute	Alert Type	.data.results[].review.noteDate / .data.results[].triggered	REFERENCE	N/A

Recorded Future Alert Details (Supplemental)

This is used to fetch related data for each of the ingested events retrieved from the Alert endpoint. The key 'data.results[].id' is used to call the supplemental feed.

GET <https://api.recordedfuture.com/v2/alert/{id}>

Sample Response:

```
{
  "data": {
    "review": {
      "assignee": null,
      "noteAuthor": null,
      "note": null,
      "status": "no-action",
      "noteDate": null
    },
    "entities": [
      {
        "entity": null,
        "risk": {},
        "trend": {},
        "documents": [
          {
            "references": [
              {
                "fragment": "https://www.youtube.com/watch?v=hXm",
                "entities": [
                  {
                    "id": "url:https://www.google.com/sorry/index?continue=https://www.youtube.com/watch%3Fv%3DhXm&q=EgQ2xjflGKXbq_kFIhKA8aedSwvdzIPWTTJyonXEKu0LsTYQsIHKMgFy",
                    "name": "https://www.google.com/sorry/index?continue=https://www.youtube.com/watch%3Fv%3DhXm&q=EgQ2xjflGKXbq_kFIhKA8aedSwvdzIPWTTJyonXEKu0LsTYQsIHKMgFy",
                    "type": "URL"
                  }
                ],
                "language": "eng"
              }
            ],
            "source": {
              "id": "a0-Mp5",
              "name": "4chan Pol Forum",
              "type": "Source"
            },
            "url": "https://boards.4chan.org/pol/thread/274300558",
            "title": "be-european"
          }
        ]
      }
    ],
    "url": "https://app.recordedfuture.com/live/sc/notification/?id=fDC4dx",
    "rule": {
      "url": "https://app.recordedfuture.com/live/sc/ViewIdkobra_view_report_item_alert_editor?view_opts=%7B%22reportId%22%3A%22ezLL1S%22%2C%22bTitle%22%3Atrue%2C%22title%22%3A%22Domains+on+Non-Mainstream+Sources%22%7D&state.bNavbar=false",

```

```

    "name": "Domains on Non-Mainstream Sources",
    "id": "ezLL1S"
  },
  "triggered": "2020-08-26T12:46:03.135Z",
  "id": "fDC4dx",
  "counts": {
    "references": 10,
    "entities": 0,
    "documents": 9
  },
  "title": "Domains on Non-Mainstream Sources - New references in 9 documents",
  "type": "EVENT"
}
}

```

ThreatQuotient provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.data.results[].url	Related.Indicator	URL	.data.results[].review.noteDate / .data.results[].triggered	https://boards.4chan.org/pol/thread/280936775	Ingested as indicator if 'www.virustotal.com' not in .url
.data.results[].url	Related.Indicator.Attribute	URL	.data.results[].review.noteDate / .data.results[].triggered	https://www.virustotal.com/gui/url/b8a9468323b46d6058dbcc1598aad13fc9a331d4d9f5f4912ae43b55776bfc75	Ingested as attribute if 'www.virustotal.com' in .url
.data.results[].documents[].references[].fragment	Related.Indicator.Attribute	Fragment	.data.results[].review.noteDate / .data.results[].triggered	https://www.youtube.com/watch?v=hXm	N/A
.data.results[].documents[].references[].language	Related.Indicator.Attribute	Language	.data.results[].review.noteDate / .data.results[].triggered	eng	N/A
.data.results[].documents[].references[].entities[].name	Related.Indicator	data.results[].documents[].references[].entities[].type	.data.results[].review.noteDate / .data.results[].triggered	https://www.google.com/sorry/index?continue	See note



In the previous table, there is a 'Related Indicator' that is set dynamically. This is because the 'ThreatQ Object Type' is extracted from the same path '.data.results[].documents[].references[].entities[].type'.

Related Indicator Type Mapping

RECORDED FUTURE INDICATOR TYPE	THREATQ INDICATOR TYPE	NOTES
InternetDomainName	FQDN	N/A
URL	URL	N/A
Hash	MD5	If the length of the hash value is 32 characters
Hash	SHA-1	If the length of the hash value is 40 characters.
Hash	SHA-256	If the length of the hash value is not 64 characters.

Recorded Future Playbook Alerts

The Recorded Future Playbook Alerts feed retrieves a list of alerts filtered by the values provided in the configuration section.

POST <https://api.recordedfuture.com/playbook-alert/search>

Sample Response:

```
{
  "status": {
    "status_code": "Ok",
    "status_message": "Playbook alert search successful"
  },
  "data": [
    {
      "playbook_alert_id": "task:2803c5f5-aa32-41ce-98c1-41a7771cd9ad",
      "created": "2022-11-08T09:44:02.447Z",
      "updated": "2022-11-08T09:44:06.584Z",
      "status": "New",
      "category": "domain_abuse",
      "priority": "Informational",
      "title": "juhaokan.ga",
      "owner_id": "uhash:ER135KQ6oL",
      "owner_name": "ThreatQ - Partner",
      "organisation_id": "uhash:DimzHe41vx",
      "organisation_name": "ThreatQ - Partner"
    }
  ]
}
```

ThreatQuotient provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.data[].title	Event.Title	Recorded Future Alert	.data[].created	juhaokan.ga	N/A
.data[].status	Event.Attribute	Status	.data[].created	New	N/A
.data[].category	Event.Attribute	Category	.data[].created	domain_abuse	N/A
.data[].priority	Event.Attribute	Priority	.data[].created	Informational	N/A
.data[].owner_name	Event.Attribute	Owner	.data[].created	ThreatQ - Partner	N/A
.data[].organisation_name	Event.Attribute	Organisation	.data[].created	ThreatQ - Partner	N/A

Domain Abuse Playbook Alert (Supplemental)

The Domain Abuse Playbook Alert supplemental feed related data for each of the ingested events retrieved from the Alert endpoint.

POST https://api.recordedfuture.com/playbook-alert/domain_abuse

Sample Response:

```
{
  "status": {
    "status_code": "Ok",
    "status_message": "Domain Abuse lookup successful"
  },
  "data": {
    "panel_status": {
      "entity_name": "lonsdale.social",
      "entity_criticality": "Low",
      "risk_score": 5,
      "context_list": [
        {
          "context": "Phishing Host"
        },
        {
          "context": "Active Mail Server"
        }
      ],
      "targets": [
        "idn:lonsdale.fr",
        "idn:lonsdale.us",
        "idn:lonsdale.porn",
        "idn:lonsdale.club"
      ],
      "status": "New",
      "priority": "High",
      "created": "2022-11-09T08:20:15.778Z",
      "case_rule_id": "report:nvAj-X",
      "case_rule_label": "Domain Abuse",
      "owner_id": "uhash:ER135KQ6oL",
      "owner_name": "ThreatQ - Partner",
      "organisation_id": "uhash:DimzHe41vx",
      "organisation_name": "ThreatQ - Partner"
    },
    "panel_action": [],
    "panel_evidence_summary": {
      "explanation": "Alert was created as a result of a triggered typosquat
detection",
      "resolved_record_list": [
        {
          "entity": "idn:ns1025.ui-dns.org",
          "risk_score": 5,
          "criticality": "Low",
          "record_type": "NS",
          "context_list": []
        },
        {

```

```
        "entity": "ip:217.160.0.153",
        "risk_score": 27,
        "criticality": "Medium",
        "record_type": "A",
        "context_list": [
            {
                "context": "Phishing Host"
            }
        ]
    },
    {
        "entity": "idn:mx00.ionos.co.uk",
        "risk_score": 0,
        "criticality": "0",
        "record_type": "MX",
        "context_list": [
            {
                "context": "Active Mail Server"
            }
        ]
    },
    {
        "entity": "idn:mx01.ionos.co.uk",
        "risk_score": 0,
        "criticality": "0",
        "record_type": "MX",
        "context_list": [
            {
                "context": "Active Mail Server"
            }
        ]
    }
],
"screenshots": [
    {
        "description": "An image associated with the Playbook Alert",
        "image_id": "img:349f92e2-fa93-4282-be15-e7a330130686",
        "created": "2022-11-09T08:20:51.685Z"
    }
],
"panel_evidence_dns": {
    "ip_list": [
        {
            "entity": "ip:217.160.0.153",
            "risk_score": 27,
            "criticality": "Medium",
            "record_type": "A",
            "context_list": [
                {
                    "context": "Phishing Host"
                }
            ]
        }
    ]
},
"mx_list": [
    {
        "entity": "idn:mx00.ionos.co.uk",
        "risk_score": 0,
        "criticality": "0",
        "record_type": "MX",
```

```
        "context_list": [
          {
            "context": "Active Mail Server"
          }
        ]
      },
    ],
    "ns_list": [
      {
        "entity": "idn:ns1115.ui-dns.de",
        "risk_score": 0,
        "criticality": "0",
        "record_type": "NS",
        "context_list": []
      },
      {
        "entity": "idn:ns1090.ui-dns.biz",
        "risk_score": 5,
        "criticality": "Low",
        "record_type": "NS",
        "context_list": []
      }
    ]
  },
  "panel_evidence_whois": {
    "body": [
      {
        "provider": "whois",
        "entity": "idn:lonsdale.social",
        "attribute": "attr:whois",
        "value": {
          "privateRegistration": false,
          "status": "clientTransferProhibited addPeriod",
          "nameServers": [
            "idn:ns1066.ui-dns.com",
            "idn:ns1025.ui-dns.org",
            "idn:ns1115.ui-dns.de",
            "idn:ns1090.ui-dns.biz"
          ],
          "registrarName": "IONOS SE",
          "createdDate": "2022-11-08T19:44:16.000Z"
        },
        "added": "2022-11-09T08:21:13.682Z"
      },
      {
        "provider": "whois",
        "entity": "idn:btbo2.top",
        "attribute": "attr:whoisContacts",
        "value": {
          "organization": "REDACTED FOR PRIVACY",
          "city": "REDACTED FOR PRIVACY",
          "name": "REDACTED FOR PRIVACY",
          "state": "REDACTED FOR PRIVACY",
          "street1": "REDACTED FOR PRIVACY",
          "country": "REDACTED FOR PRIVACY",
          "postalCode": "REDACTED FOR PRIVACY",
          "telephone": "REDACTED FOR PRIVACY",
          "type": "technicalContact"
        },
        "added": "2022-11-08T10:28:20.712Z"
      }
    ]
  }
}
```

```

    ]
  },
  "panel_log": [
    {
      "id": "uuid:26b4be48-e1e0-4773-97d7-b8c8260fe53b",
      "created": "2022-11-09T08:27:31.377Z",
      "modified": "2022-11-09T08:27:31.377Z",
      "action_priority": "Informational"
    }
  ]
}

```

ThreatQuotient provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.data.panel_status.entity_name	Related.Indicator	FQDN	.data.panel_status.created	jlonssdale.social	N/A
.data.panel_status.risk_score	Related.Indicator.Attribute	Risk Score	.data.panel_status.created	5	N/A
.data.panel_status.entity_criticality	Related.Indicator.Attribute	Criticality	.data.panel_status.created	Low	N/A
.data.panel_evidence_dns.ip_list[].entity	Related.Indicator	IP Address	N/A	ip:217.160.0.153	N/A
.data.panel_evidence_dns.ip_list[].risk_score	Related.Indicator.Attribute	Risk Score	N/A	27	N/A
.data.panel_evidence_dns.ip_list[].criticality	Related.Indicator.Attribute	Criticality	N/A	Medium	N/A
.data.panel_evidence_dns.mx_list[].entity	Related.Indicator	FQDN	N/A	idn:mx00.ionos.co.uk	N/A
.data.panel_evidence_dns.mx_list[].risk_score	Related.Indicator.Attribute	Risk Score	N/A	0	N/A
.data.panel_evidence_dns.mx_list[].criticality	Related.Indicator.Attribute	Criticality	N/A	0	N/A
.data.panel_evidence_dns.ns_list[].entity	Related.Indicator	FQDN	N/A	idn:ns1025.ui-dns.org	N/A
.data.panel_evidence_dns.ns_list[].risk_score	Related.Indicator.Attribute	Risk Score	N/A	5	N/A
.data.panel_evidence_dns.ns_list[].criticality	Related.Indicator.Attribute	Criticality	N/A	Low	N/A

Average Feed Run



Object counts and Feed runtime are supplied as generalities only - objects returned by a provider can differ based on credential configurations and Feed runtime may vary based on system resources and load.

Recorded Future Domain Risk List

METRIC	RESULT
Run Time	1 minute
Indicators	393
Indicator Attributes	3,226

Recorded Future IP Risk List

METRIC	RESULT
Run Time	1 minute
Indicators	95
Indicator Attributes	1,979

Recorded Future URL Risk List

METRIC	RESULT
Run Time	23 minutes
Indicators	10,653
Indicator Attributes	92,877

Recorded Future Vulnerability Risk

METRIC	RESULT
Run Time	1 minute
Indicators	3
Indicator Attributes	158
Vulnerabilities	5
Vulnerability Attributes	158

Recorded Future Hash Risk List

METRIC	RESULT
Run Time	1 minute
Indicators	534

METRIC	RESULT
Indicator Attributes	4,707

Recorded Future Analyst Note

METRIC	RESULT
Run Time	2 minutes
Attack Patterns	1
Attack Pattern Attributes	2
Indicators	113
Indicator Attributes	732
Malware	24
Malware Attributes	131
Reports	19
Reports Attributes	335

Recorded Future Alerts

METRIC	RESULT
Run Time	15 minutes

METRIC	RESULT
Events	997
Events Attributes	4,985
Indicators	6,861
Indicator Attributes	41,747

Recorded Future Playbook Alerts

METRIC	RESULT
Run Time	1 minute
Events	23
Events Attributes	115
Indicators	14
Indicator Attributes	24

Known Issues / Limitations

- The 5 main Recorded Future feeds take progressively longer to complete as more and more lists are specified for the **Recorded Future List** configuration parameter. ThreatQ recommends pulling a targeted subset of lists for each feed instead of all of the available lists.
- If Recorded Future deletes a list, the feed will return an empty response for it.

Change Log

- **Version 2.8.0**
 - The integration now synchronizes Risk lists.
- **Version 2.7.0**
 - Added a new feed: Recorded Future Playbook Alerts.
 - Added the ability to filter by minimum risk score for the Risk List feeds (Recorded Future Domain Risk List, Recorded Future IP Risk List, Recorded Future URL Risk List, Recorded Future Vulnerability Risk List and Recorded Future Hash Risk List).
 - Added the ability to select the hash types that are ingested by the Recorded Future Hash Risk List, Recorded Future Analyst Note, and Recorded Future Alerts feeds.
 - Added the ability to ingest SHA-1 indicators.
- **Version 2.6.2**
 - Synchronized the Risk lists for the Risk List feeds to match option updates that Recorded Future performed.
 - Added time constrained data ingestion for all feeds so manual runs can be performed. Previously, the manual run option was only supported by the Analyst Note feed.
- **Version 2.6.1**
 - Fixed a parsing error that would occur when no evidence details are provided.
- **Version 2.6.0**
 - Removed lists from Recorded Future Domain Risk List feed:
 - Ransomware Distribution URL
 - Ransomware Payment DNS Name
 - Removed lists from Recorded Future Vulnerability Risk feed:
 - Observed Exploit/Tool Development in the Wild
 - Historically Observed Exploit/Tool Development in the Wild
- **Version 2.5.0**
 - Refactored Recorded Future Feeds (aside from Analyst Note).
 - Fixed a bug that caused an Error applying FilterMapping error from the URL Risk List and other similar feeds.
 - Removed lists that are no longer support that would cause the feed to throw a 404 error. Lists removed include:

-
- Recorded Future Domain Risk List:
 - C&C URL
 - Recorded Future URL Risk List:
 - C&C
 - Compromised URL
 - Historically Detected Malicious Browser Exploits
 - Recently Detected Malicious Browser Exploits
 - Recently Detected Suspicious Content
 - Historically Detected Suspicious Content
 - Recorded Future Vulnerability Risk List:
 - Recently Observed Exploit/Tool Development in the Wild
 - **Version 2.4.1**
 - Fixed a parsing error with Analyst Note.
 - **Version 2.4.0**
 - Added Alert details
 - **Version 2.3.0**
 - Added support for MITRE Attack Pattern Sub-Techniques
 - Added 'Save CVE Data As' user configuration parameter for Recorded Future Vulnerability Risk List
 - **Version 2.2.0**
 - Added support to multiple selection for list
 - Fixed issue with MITRE map
 - **Version 2.1.0**
 - Added support for configuration list in the request
 - **Version 2.0.1**
 - Fixed issue with attributes
 - **Version 2.0.0**
 - Added Analyst Note Integration
 - **Version 1.0.0**
 - Initial release