ThreatQuotient



Trellix MVISION EDR Threats CDF Guide

Version 2.0.3

May 15, 2023

ThreatQuotient

20130 Lakeview Center Plaza Suite 400 Ashburn, VA 20147



Support

Email: support@threatq.com

Web: support.threatq.com

Phone: 703.574.9893



Contents

Integration Details	5
ntroduction	6
Prerequisites	7
Generating Credentials for Trellix MVISION EDR	8
Asset Object	9
nstallation	. 11
Configuration	
ThreatQ Mapping	. 15
Trellix MVISION EDR Threats	
Get Detections (Supplemental)	. 17
Average Feed Run	
Trellix MVISION EDR Threats	. 19
Change Log	. 20



Warning and Disclaimer

ThreatQuotient, Inc. provides this document "as is", without representation or warranty of any kind, express or implied, including without limitation any warranty concerning the accuracy, adequacy, or completeness of such information contained herein. ThreatQuotient, Inc. does not assume responsibility for the use or inability to use the software product as a result of providing this information.

Copyright © 2023 ThreatQuotient, Inc.

All rights reserved. This document and the software product it describes are licensed for use under a software license agreement. Reproduction or printing of this document is permitted in accordance with the license agreement.



Support

This integration is designated as ThreatQ Supported.

Support Email: support@threatq.com Support Web: https://support.threatq.com

Support Phone: 703.574.9893

Integrations/apps/add-ons designated as ThreatQ Supported are fully supported by ThreatQuotient's Customer Support team.

ThreatQuotient strives to ensure all ThreatQ Supported integrations will work with the current version of ThreatQuotient software at the time of initial publishing. This applies for both Hosted instance and Non-Hosted instance customers.



🛕 ThreatQuotient does not provide support or maintenance for integrations, apps, or add-ons published by any party other than ThreatQuotient, including third-party developers.



Integration Details

ThreatQuotient provides the following details for this integration:

Current Integration

Version

Compatible with ThreatQ

Versions

>= 4.45.0

2.0.3

Support Tier Th

ThreatQ Supported

ThreatQ Marketplace

https://

marketplace.threatq.com/details/trellix-mvision-edr-

threats-cdf



Introduction

The Trellix MVISION EDR Threats for ThreatQ enables analysts to automatically ingest Assets, Attack Patterns, Indicators, Attributes, TTPs, and Tags.

The integration provides the following feed:

• Trellix MVISION EDR Threats - ingests indicators and their attributes.

The integration ingests the following system objects:

- Assets
- Attack Patterns
- Events
- Indicators
- TTPs



The Trellix MVISION EDR Threats CDF replaces the McAfee MVISION EDR CDF integration.



Prerequisites

The following is required in order to successfully install and use the integration:

- Access to Trellix MVISION EDR
- Trellix API Key, Client ID, and Client Secret Credentials with the following scope permissions: soc.hts.c soc.hts.r soc.rts.c soc.rts.r soc.qry.pr. See the Generating Credentials for Trellix MVISION EDR section for further details
- Asset Object



Generating Credentials for Trellix MVISION EDR

In order to use this integration, you will need to obtain an API Key, Client ID, and Client Secret from the Trellix Developer Portal. Previous versions of this integration (McAfee MVISION EDR CDF v1.0.1 and earlier), the integration utilized a now-deprecated authentication strategy. Since then, Trellix has placed the MVISION EDR APIs under their standardized IAM OAuth Authentication strategy.

Below are instructions on how you can obtain these credentials to use with the integration:

- 1. Log into your Trellix MVISION EDR instance.
- 2. Navigate to Trellix's Developer Portal: https://www.mcafee.com/enterprise/en-us/solutions/mvision/developer-portal.html
- 3. Click on the **Documentation** tab and then the **Trellix API** link.
- 4. Click the **Self-Service** tab on the sidebar and then the **API Access Management** sub-tab.

The API Access Management page will load. You can view your Trellix API Key and generate a Client ID and Secret.

- 5. Enter a client name and the following scopes when requesting for your client credentials: soc.hts.c soc.hts.r soc.rts.c soc.rts.r soc.gry.pr
- 6. Once submitted, Trellix will need to approve the credentials. After approval, the credentials can be used with this integration.



Asset Object

The integration requires the Asset object. The Asset installation files are included with the integration download on the ThreatQ Marketplace. The Asset object must be installed prior to installing the integration.



You do not have to install the Asset object if you are running ThreatQ version 5.10.0 or greater as the object has been seeded as a default system object.

Use the steps provided to install the Asset custom object.



 $oldsymbol{lack}$ When installing the custom objects, be aware that any in-progress feed runs will be cancelled, and the API will be in maintenance mode.

- 1. Download the integration zip file from the ThreatQ Marketplace and unzip its contents.
- 2. SSH into your ThreatQ instance.
- 3. Navigate to tmp directory:

```
<> cd /tmp/
```

4. Create a new directory:

```
<> mkdir trellix cdf
```

- 5. Upload the **asset.json** and **install.sh** script into this new directory.
- 6. Create a new directory called **images** within the trellix cdf directory.

```
<> mkdir images
```

- 7. Upload the asset.svg.
- 8. Navigate to the /tmp/trellix_cdf.

The directory should resemble the following:

- tmp
 - trellix_cdf
 - asset.json
 - install.sh
 - images



asset.svg

9. Run the following command to ensure that you have the proper permissions to install the custom object:

```
<> chmod +x install.sh
```

10. Run the following command:

```
<> sudo ./install.sh
```



You must be in the directory level that houses the install.sh and json files when running this command.

The installation script will automatically put the application into maintenance mode, move the files to their required directories, install the custom object, update permissions, bring the application out of maintenance mode, and restart dynamo.

```
Installing Custom Objects - Step 1 of 5 (Entering Maintenance Mode)

Application is now in maintenance mode.

Installing Custom Objects - Step 2 of 5 (Installing the Asset Custom Object)

Installing Custom Objects - Step 3 of 5 (Configuring image for Asset Custom Object)

Installing Custom Objects - Step 4 of 5 (Updating Permissions in ThreatQ)

Installing Custom Objects - Step 5 of 5 (Exiting Maintenance Mode)

Application is now live.
```

11. Remove the temporary directory, after the custom object has been installed, as the files are no longer needed:

```
<> rm -rf trellix_cdf
```



Installation



The CDF requires the installation of a custom object before installing the actual CDF if your are on ThreatQ version 5.9.0 or earlier. See the Prerequisites chapter for more details. The custom object must be installed prior to installing the CDF. Attempting to install the CDF without the custom object will cause the CDF install process to fail.

Perform the following steps to install the integration:



The same steps can be used to upgrade the integration to a new version.

- 1. Log into https://marketplace.threatq.com/.
- 2. Locate and download the integration file.
- 3. Navigate to the integrations management page on your ThreatQ instance.
- 4. Click on the Add New Integration button.
- 5. Upload the integration file using one of the following methods:
 - Drag and drop the file into the dialog box
 - Select Click to Browse to locate the integration file on your local machine



ThreatQ will inform you if the feed already exists on the platform and will require user confirmation before proceeding. ThreatQ will also inform you if the new version of the feed contains changes to the user configuration. The new user configurations will overwrite the existing ones for the feed and will require user confirmation before proceeding.

6. If prompted, select the individual feeds to install and click **Install**. The feed will be added to the integrations page.

You will still need to configure and then enable the feed.



Configuration



ThreatQuotient does not issue API keys for third-party vendors. Contact the specific vendor to obtain API keys and other integration-related credentials.

To configure the integration:

- 1. Navigate to your integrations management page in ThreatQ.
- 2. Select the **Commercial** option from the *Category* dropdown (optional).



If you are installing the integration for the first time, it will be located under the **Disabled** tab.

- 3. Click on the integration entry to open its details page.
- 4. Enter the following parameters under the **Configuration** tab:


PARAMETER	DESCRIPTION
Region	Your geographic region. Options include: US-West US-East Europe (default) Australia Canada GOV
Client ID	Your Trellix MVISION Client ID, obtained from the Trellix Developer Portal.
Client Secret	Your Trellix MVISION Client Secret, obtained from the Trellix Developer Portal.
Trellix API Key	Your Trellix MVISION API Key, obtained from the Trellix Developer Portal.




PARAMETER	DESCRIPTION
Threat Severity	Allows you to select one or more threat severity levels to filter your results by. Options include:
	° Very Low (s0)
	∘ Low (s1)
	Medium (s2) - default
	 Medium-High (s3) - default
	 High (s4) - default
	° Critical (s5) - default
Add Detection Tags to Threats	If enabled, detection tags will be bundled up and added to all imported threats (hashes).
lmport Detections as Related Events	If enabled, detections will be brought in as related events to the threats.



Trellix MVISION EDR Threats





- 5. Review any additional settings, make any changes if needed, and click on Save.
- 6. Click on the toggle switch, located above the Additional Information section, to enable it.



ThreatQ Mapping

Trellix MVISION EDR Threats

The Trellix MVISION EDR Threats feed ingests indicators and their attributes.

GET https://api.<region>/ft/api/v2/ft/threats

Sample Response:

```
"total": 2,
"skipped": 0,
"items": 1,
"threats": [
   {
        "id": "452825",
        "aggregationKey": "P_5CC2C563D89257964C4B446F54AFE1E57BBEE49315A9FC001FF5A6BCB6650393",
        "severity": "s1",
        "rank": 88,
        "score": 38,
        "name": "rundll32.exe",
        "type": "pe",
        "status": "viewed",
        "firstDetected": "2022-02-11T21:16:56Z",
        "lastDetected": "2022-02-11T21:16:56Z",
            "sha256": "5CC2C563D89257964C4B446F54AFE1E57BBEE49315A9FC001FF5A6BCB6650393",
            "sha1": "D4AC232D507769FFD004439C15302916A40D9831",
            "md5": "6C308D32AFA41D26CE2A0EA8F7B79565"
        }
   }
]
```

ThreatQuotient provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.threats[].hashes.sha256	indicator.value	SHA-256	.threats[].firstDetected	5CC2C563D89257964C4B446F54AFE1E5 7BBEE49315A9FC001FF5A6BCB6650393	
.threats[].hashes.sh1	indicator.value	SHA-1	.threats[].firstDetected	D4AC232D507769FFD004439C15302916 A40D9831	
.threats[].hashes.md5	indicator.value	MD5	.threats[].firstDetected	6C308D32AFA41D26CE2A0EA8F7B79565	
.threats[].name	indicator.attribute	Threat Name	.threats[].firstDetected	rundll32.exe	
.threats[].type	indicator.attribute	Threat Type	.threats[].firstDetected	pe	
.threats[].severity	indicator.attribute	Severity	.threats[].firstDetected	s1	



FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.threats[].rank	indicator.attribute	Rank	.threats[].firstDetected	88	
.threats[].score	indicator.attribute	Score	.threats[].firstDetected	38	



Get Detections (Supplemental)

The Get Detections (Supplemental) feed retrieves detection tags. The feed is called once per each .threats[].id returned by the Trellix MVISION EDR Threats feed.

GET https://api.<region>/ft/api/v2/ft/threats/<threat_id>/detections

Sample Response:

```
{
    "total": 1,
   "skipped": 0,
    "items": 1,
    "detections": [
        {
            "id": "45154556",
            "traceId": "de298c04-296d-4ae7-8fdc-6d7bcda30733",
            "firstDetected": "2022-02-11T21:16:56Z",
            "severity": "s1",
            "rank": 88,
            "tags": [
                "@MSI._reg_ep0029_intranet",
                "@MSI._reg_ep0037_iepages",
                "@ATE.T1112",
                "@ATA.DefenseEvasion"
            ],
            "host": {
                "maGuid": "32EDA829-0106-451D-9273-E099D04D81AE",
                "hostname": "tis-epo-testser",
                "os": {
                    "major": 6,
                    "minor": 3,
                    "build": 9600,
                    "sp": "",
                    "desc": "Windows 2012 R2"
                "netInterfaces": [
                    {
                        "name": "Ethernet",
                        "macAddress": "fa:16:3e:08:89:58",
                        "ip": "172.16.114.30",
                        "type": 6
                ],
                "traceExtendedVisibility": 0
            "sha256": "5CC2C563D89257964C4B446F54AFE1E57BBEE49315A9FC001FF5A6BCB6650393"
    ]
```



ThreatQuotient provides the following default mapping for this feed:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
.detections[].host.hostname	Event.Title	N/A	.detections[].firstDetected	EDR Detection - Host: tis-epo-testser - Threat Type: pe - Severity: High - ID: 45154556	Title is made with hostname + threat type + severity and the ID
.detections[].id + .detections[].traceld + .detections[].host.maGuid + .detections[].sha256	Event.Attribute	MVISION Link	.detections[].firstDetected	https://ui.soc.us-east-1.mcafee.com/ monitoring/#/workspace/2160,TOTA L_THREATS,45154556?traceld=de298 c04-296d-4ae7-8fdc-6d7bcda30733& maGuid=32EDA829-0106-451D-9273- E099D04D81AE&sha256=5CC2C563D 89257964C4B446F54AFE1E57BBEE49 315A9FC001FF5A6BCB6650393	N/A
.detections[].severity	Event.Attribute	Severity	.detections[].firstDetected	Low	Value updated accordingly the Severity map
.detections[].rank	Event.Attribute	Rank	.detections[].firstDetected	88	N/A
.detections[].tags[]	Event.Attribute	Tactic	.detections[].firstDetected	Defense Evasion	Only ingest this attribute if starts with '@ATA.'
.detections[].tags[]	Tag.name	N/A	n/a	@MSIreg_ep0029_intranet	N/A
.detections[].host.hostname[]	Related Asset.Value	N/A	n/a	tis-epo-testser	N/A
.detections[].host.os.desc	Related Asset.Attribute	Operating System	.detections[].firstDetected	Windows 2012 R2	N/A
.detections[].host.hostname	Related Asset.Attribute	Hostname	.detections[].firstDetected	tis-epo-testser	N/A
.detections[].host.netInterfaces[0].ip	Related Asset.Attribute	IP Address	.detections[].firstDetected	172.16.114.30	N/A
.detections[].tags[]	Related TTP.Value	N/A	n/a	reg ep0037 iepages	Only ingest this object if starts with '@MSI.'
.detections[].tags[]	Related Attack Pattern.Value	N/A	n/a	T1112	



Average Feed Run



Object counts and Feed runtime are supplied as generalities only - objects returned by a provider can differ based on credential configurations and Feed runtime may vary based on system resources and load.

Trellix MVISION EDR Threats

METRIC	RESULT
Run Time	1 minute
Assets	1
Asset Attributes	2
Events	2
Event Attributes	21
TTPs	2
Attack Patterns	8
Indicators	6
Indicator Attributes	30



Change Log

- Version 2.0.3
 - Fixed an ingestion issue regarding Assets and Events.
- Version 2.0.2
 - Resolved a filter mapping error for tags.
 - Updated the method for retrieving attack patterns from the ThreatQ API.
- Version 2.0.1
 - Added validation for non-existent detection list.
- Version 2.0.0 rev-a (Guide Update)
 - Updated the Prerequisites chapter regarding the Asset object. ThreatQ version 5.10.0 introduced the Asset object as a seeded default system object. Users on ThreatQ 5.10.0 or later do not have to install the Asset custom object prior to installing the integration.
- Version 2.0.0
 - Integration has been rebranded from McAfee MVISION EDR to Trellix MVISION EDR Threats.
 - Switched authentication method to new IAM authentication using API Key, Client ID, and Client Secret.
 - Updated the Fetch Detection Tags configuration field to Add Detection Tag to Threats.
 - Added new configuration option: Import Detections as Related Events.
 - Updated the Threat Severity Filter configuration options scale from Level X to Very Low, Low, Medium, Medium-High, High, and Critical.
 - The Detection (event) tags will now be parsed to create Attack Pattern, TTP, and Tactic relationships.
- Version 1.0.1
 - Added expired token reauthorization.
- Version 1.0.0
 - Initial release