ThreatQuotient

Varonis Blog CDF

Version 1.0.0

April 08, 2024

ThreatQuotient
20130 Lakeview Center Plaza Suite 400
Ashburn, VA 20147

ThreatQ Supported

Support
Email: support@threatq.com
Web: support.threatq.com
Phone: 703.574.9893

Contents

Warning and Disclaimer

ThreatQuotient, Inc. provides this document "as is", without representation or warranty of any kind, express or implied, including without limitation any warranty concerning the accuracy, adequacy, or completeness of such information contained herein. ThreatQuotient, Inc. does not assume responsibility for the use or inability to use the software product as a result of providing this information.

Support

This integration is designated as **ThreatQ Supported**.

Support Email: support@threatq.com
Support Web: https://support.threatq.com
Support Phone: 703.574.9893

Integrations/apps/add-ons designated as **ThreatQ Supported** are fully supported by ThreatQuotient's Customer Support team.

ThreatQuotient strives to ensure all ThreatQ Supported integrations will work with the current version of ThreatQuotient software at the time of initial publishing. This applies for both Hosted instance and Non-Hosted instance customers.

> ⚠ ThreatQuotient does not provide support or maintenance for integrations, apps, or add-ons published by any party other than ThreatQuotient, including third-party developers.

Integration Details

ThreatQuotient provides the following details for this integration:

Current Integration Version	1.0.0
Compatible with ThreatQ Versions	>= 5.25.0
Support Tier	ThreatQ Supported

Introduction

The Varonis Blog CDF enables analysts to automatically ingest posts from the Varonis blog, allowing analysts to stay up-to-date on news, vulnerabilities, and other threat research related articles that are published.

The integration provides the following feed:

- **Varonis Threat Research Blog** - fetches posts in the form of reports from the Varonis blog.

The integration ingests Report type system objects.

Installation

Perform the following steps to install the integration:

> The same steps can be used to upgrade the integration to a new version.

1. Log into https://marketplace.threatq.com/.
2. Locate and download the integration yaml file.
3. Navigate to the integrations management page on your ThreatQ instance.
4. Click on the **Add New Integration** button.
5. Upload the integration yaml file using one of the following methods:
   - Drag and drop the yaml file into the dialog box
   - Select **Click to Browse** to locate the integration yaml file on your local machine

> ThreatQ will inform you if the feed already exists on the platform and will require user confirmation before proceeding. ThreatQ will also inform you if the new version of the feed contains changes to the user configuration. The new user configurations will overwrite the existing ones for the feed and will require user confirmation before proceeding.

You will still need to configure and then enable the feed.

Configuration

> 🏷️ ThreatQuotient does not issue API keys for third-party vendors. Contact the specific vendor to obtain API keys and other integration-related credentials.

To configure the integration:

1. Navigate to your integrations management page in ThreatQ.
2. Select the **OSINT** option from the *Category* dropdown (optional).

> 🏷️ If you are installing the integration for the first time, it will be located under the **Disabled** tab.

3. Click on the integration entry to open its details page.
4. Review any additional settings, make any changes if needed, and click on **Save**.

5. Click on the toggle switch, located above the *Additional Information* section, to enable it.

Version 1.0.0

ThreatQ Mapping

Varonis Threat Research Blog

The Avertium Threat Reports feed periodically pulls threat research posts from the Varonis Threat Research blog, and ingests them into ThreatQ as Report Objects.

`GET https://www.varonis.com/blog/tag/threat-research/`

The following request returns HTML. The HTML is parsed for the title, author, date, links, etc. The blog itself is then fetched.

`GET https://www.varonis.com/blog/{{ uri }}`

The mapping for this feed is based on the information parsed out of the blog's HTML content:

FEED DATA PATH	THREATQ ENTITY	THREATQ OBJECT TYPE OR ATTRIBUTE KEY	PUBLISHED DATE	EXAMPLES	NOTES
N/A	Report.Value	N/A	N/A	`Imposter Syndrome: UI Bug in Visual Studio Lets Attackers Impersonate Publishers`	Parsed from the HTML
N/A	Report.Description	N/A	N/A	N/A	Parsed from the HTML
N/A	Report.Attribute	External Reference	N/A	`https://www.varonis.com/blog/visual-studio-bug`	Parsed from HTML
N/A	Report.Attribute	Published At	N/A	`Jun 07, 2023`	Parsed from the HTML
N/A	Report.Attribute	Author	N/A	`Dolev Taler`	Parsed from the HTML

Average Feed Run

> Object counts and Feed runtime are supplied as generalities only - objects returned by a provider can differ based on credential configurations and Feed runtime may vary based on system resources and load.

METRIC	RESULT
Run Time	1 minute
Reports	9
Report Attributes	27

Known Issues / Limitations

- The feed utilizes **since** and **until** dates to make sure entries are not re-ingested if they haven't been updated.
- If you need to ingest historical blog posts, run the feed manually by setting the **since** date back.
- The feed pulls a maximum of 12 blogs posts since the current date.

Change Log

- **Version 1.0.0**
  - Initial release